

QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	RD ROOT CAUSE	ANAL	YSIS			SP	ECIFIC	PER N	MANUFACTURING PROG	CESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
	What is the process step/ Input under investigati on?	In what ways does the key input go wrong?	What is the impact on the key output variables (customer requirements) or internal requirements?	Applicable / Not Applicable	How severe is the effect to the process/product?	What causes the key input to go wrong?	How likely is the cause	What are the existing controls that prevent either the cause or the failure mode?	How detectable is the cause/failure before		What are the actions for reducing the RPN. Should have actions only on high RPN's or easy fixes.	Who's responsible to take action?	What actions have been taken and date					
Mat	erial Procuren	nent from Vendors(A	PI, Excipients, Prima	ary Pac	kaging l	Materials)												
	Receipt of	Receipt of raw material and packing material from the unapproved source Receipt of material not as per required grade/specificatio ns	 Impact on process validation study. Impact on the product stability study. Impact on the quality of the product. 	Applic ble	a 6	 Material not purchased as per approved vendor list GRN prepare without material verification. Material verification procedure not followed. 	1	Procedure for "Receipt of Raw Materials In Warehouse" (SOP) and "Receipt of Packing Materials In Warehouse" (SOP) is in place. Procedure is available for verification of raw material and packing material like batch information, vendor name, material grade etc.	6	36	Current controls are in place. So no action recommended.	NA	NA	N A	N A	N A	N A	
1	materials	Receipt of material without label/ damage label, uncleaned container/ damage container, damage material	Contamination of area Incomplete information of material. Contamination of material.	Applic ble	6	Use of uncleaned vehicle for the material transportation. Cleaning and dedusting procedure not followed. Material verification procedure not followed. Mishandling of	1	Procedure for "Receipt of Raw Materials In Warehouse" (SOP) and "Receipt of Packing Materials In Warehouse" (SOP) is in place. There is well defined procedure to receipt of materials, all material should received after checking of cleaning, weight verification, batch information and physical condition as per checklist (raw & packing material receipt checklist, SOP annexure).	6	36	Hence current procedure for receipt of materials reveals that there could not be chances to receipt uncleaned or damaged material received. So no action recommended.	NA	NA	N A	N A	N A	N A	NA



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	RD ROOT CAUSE	ANALY	SIS			SP	ECIFIC	PER N	MANUFACTURING PROC	CESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
						containers.		Containers shall be cleaned by moping with dry clean cloth. Procedure is available for dedusting of received material through De-dusting tunnel (SOP) in place before entry of material inside the area.										
Stor	age of Materia	ls	T		1					1				1		-		
2	Storage of	Storage of material in in-appropriate area.	Mixup	Applica ble	6	Material not stored as per their dedicated place.	1	 Procedure for "Handling and Storage of Raw and Packing Materials In Warehouse" (SOP) is in place. Storage of materials to separate area through line marking system for different stages shall be done. (Blue colour for Quarantine Area, Yellow colour for Under Test Area, Red colour for Rejected Area and Green colour for Approved Area). 	6	36	Hence current procedure for storage of materials reveals that there could not be chances to storage of material in- appropriate area. So no action recommended.	NA	N	N			N	NA
	Materials	Storage of material in in-appropriate condition.	 Impact on the product stability study. Impact on the quality of the product. Impact on the patient health and safety. 	Applica ble		 Material not stored as per required condition. 		Procedure for "Storage Condition of Raw and Packing Materials In Warehouse" (SOP) is in place. Material shall be stored in appropriate condition to maintain required storage condition of material (cool, dry & ambient).			Hence current procedure for storage of materials reveals that there could not be chances to storage of material in appropriate condition. So no action recommended.		A	A	A	A	A	



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	ARD ROOT CAUSE	ANALY	SIS			SP	ECIFIC	PER N	MANUFACTURING PROC	CESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
3	Labeling of materials	Wrong labeling on material.	 Impact on the quality of the product. Impact on the identity of the product. 	Applica ble		Wrong label prepare. Material not stored as per their dedicated place.	1	Procedure for "Labeling of Receipt Raw Material Containers" (SOP) is in place. There is well defined procedure for preparation of label, label checking and label verification. Procedure for "Handling and Storage of Raw and Packing Materials In Warehouse" (SOP) is in place. There is well defined procedure to storage of materials to separate area through Line marking system for different stages and storage of material according to their manufacturer name, Batch No. / Lot No., Mfg. date. retest/expiry date, Grade etc.	6	36	Hence current procedure for Labeling of materials reveals that there could not be chances to wrong labeling on material. So no action recommended.	NA	NA	N A	N A	N A	N A	NA
San	pling of Mater	rials	T		1				•	ı			1					
4	Sampling of Materials	 Sampling done in un-controlled area. Sampling done in un-cleaned area. 	 Impact on the quality of the product. Impact on the patient health and 	Applica ble	6	Line clearance not followed during sampling.	1	 Procedure for "Line-Clearance of Raw Material Sampling & Dispensing Area" (SOP) is in place. There is well defined procedure for line clearance for material Sampling. Sampling both is available. Sampling is being performed under RLAF. 	6	36	Hence current procedure for sampling of materials reveals that there could not be chances to sampling done in un- controlled and un-cleaned area. So no action recommended.	NA	N A	N A	N A	N A	N A	NA
	Muchas	Sampling done through un- cleaned equipment.	safety. • Sample contamination	Applica ble		Sampling tools not cleaned.		Procedure for "Handling and Cleaning of Raw Material Sampling Aids In Warehouse" (SOP) is in place. There is well defined procedure for cleaning of sampling aid.			Hence current procedure for Sampling of Materials reveals that there could not be chances to sampling done through un-cleaned equipment. So							



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	ARD ROOT CAUSE	ANALY	SIS			SP	ECIFIC	PER I	MANUFACTURING PRO	CESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
		Sampling of wrong material.		Applica ble		Wrong material sampled		Procedure for "Sampling of Non Sterile Raw Materials" (SOP) and "Sampling, Testing, Release, Approval and Rejection of Packaging Materials" (SOP) is in place. There is well defined procedure to sampling of material. Material is released after satisfactory results of raw material and packing material with specification. Labeling procedure in place. GRN copy sends QC for sampling of material.			Hence current procedure for Sampling of Materials reveals that there could not be chances to sampling of wrong material. So no action recommended.							
Disp	ensing																	
5	Dispensing of material	Dispensing done in un-clean area. Dispensing done	 Impact on the quality of the product. Impact on the patient health and safety. Sample 	Applica ble	6	Line clearance not followed during dispensing.	1	Procedure for "Line-Clearance of Raw Material Sampling & Dispensing Area In Warehouse" (SOP) is in place. There is well defined procedure for line-clearance for material dispensing. Dispensing is being performed under RLAF. Procedure for "Handling and Cleaning of	6	36	Hence current procedure for Dispensing of material reveals that there could not be chances to dispensing done in un-clean areal. So no action recommended. Hence current procedure	NA	N A	N A	N A	N A	N A	NA
		through un- cleaned equipment.	contamination			Dispensing tools not cleaned.		Dispensing Tools In Warehouse" (SOP) is in place. There is well defined procedure for cleaning of dispensing			for Dispensing of material reveals that there could not be							



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	ARD ROOT CAUSE	ANALY	SIS			SP	ECIF	C PER	MANUFACTURING PRO	CESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
	_	Dispensing done through uncalibratated balance. Wrong material dispensed				Balance calibration not done as per schedule. Dispensing not done as per procedure		tools. •Procedure for "Line-Clearance of Raw Material Sampling & Dispensing Area In Warehouse" (SOP) is in place. There is well defined procedure for line-clearance for material dispensing. Procedure for "Operation, Cleaning, Verification and Calibration of Electronic Weighing Balances" (SOP) and "Operation, Cleaning, Verification and Calibration of Weighing Balance" (SOP) is in place. There is well defined procedure to verification and calibration of weighing Balance. Procedure for "Dispensing of Raw Materials to Production" (SOP) is in place. There is well defined procedure for dispensing of material, Batch dispensing slip and identification slip generated through SAP system.			chances to dispensing done through un-cleaned equipment. So no action recommended. Hence current procedure for Dispensing of material reveals that there could not be chances to dispensing through un-calibratated balance. So no action recommended. Hence current procedure for Dispensing of material reveals that there could not be chances to wrong material dispensed. So no action recommended.							
Mar	ufacturing and	Packing																
6	Shifting of material, granulation, drying, sizing & milling, blending, capsule filling and	 Parameters are not defined. Uncalibrated instrument. Unqualified equipment. Uncleaned equipment. 	 Impact on process validation study. Impact on cleaning validation study. On the product stability study. Impact on the quality of the 	Applica ble	6 6	 Product manufactured with un-defined parameters. Uncalibrated instrument. Unqualified equipment used. Cleaning method not 	1	Once new product is received, same shall be preceded through change control procedure. For new product, based on technology transdocuments, plant documents shall be preparable (like BMR, BPR, STS, STP etc.). New product is manufactured based on the parameters and process flow described in Master Formula Record.	e. nsfer ared	36	Hence current procedure for Shifting of material, granulation, drying, sizing & milling, blending, compression, coating and packing reveals that there could not be chances to undefined parameter,	NA	A	N A	N A	N A	N A	NA



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	RD ROOT CAUSE	ANALY	SIS			SP	ECIFIC	PER N	MANUFACTURING PROG	CESS						
Ite m No	0C6	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
	packing.	Environmental conditions not meet (temperature and RH)	product. Impact on the patient health and safety. Cross contamination			available. • Environmental conditions not meet.		 BMR is prepared based on the Master Forr Record. Process validation shall be performed for reproduct. Stability study shall be performed for new product. Calibration of instrument performed as per their schedule (calibration planner). Equipment qualification activity performed time of installation. Re-qualification of equipment shall be performed as per their schedule (equipment planner). Qualified equipment is used for product manufacturing. Preventive maintenance of equipment shall performed as per preventive maintenance planner. Line clearance procedure is in place. All new API considered for cleaning validations tudy study, on the basis of MACO value cleaning study evaluated. If product comes under we case study, then cleaning validation study to be performed. There is a Procedure for Monitoring of "Temperature, Relative Humidity & Differential Pressure" (SOP) in place during manufacturing. There is cleaning SOP of all equipment in place. 	ew at the be the strong generate hall		uncalibrated instrument, unqualified equipment, Uncleaned equipment and deviation of environmental condition. So no action recommended.							



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

		STANDA	ARD ROOT CAUSE	ANALYS	SIS			SP	ECIFIC	PER N	MANUFACTURING PROC	ESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
								Handling of all equipment SOPs is in place There is well defined procedure for Monito of "Temperature & Relative Humidity" Temperature and Relative Humidity of respective areas shall be recorded initially, every 4 hours & after Breakdown. There is procedure for Monitoring of temperature & relative humidity during proin BMR & BPR at every 1 hour. After completion of blending, compression coating and packing, sample shall sent to Q for analysis. After satisfactory result of bles sample, batch proceeds for next stage. If any failure observed during process, sam shall be handled through deviation/inciden.	at at occess CC and									
7	Batch Release	Batch released without FG analysis.	 Impact on the quality of the product. Impact on the patient health. 	Applica ble	6	Batch released without FG analysis.	1	There is a Procedure for Monitoring of "Approval and Release of Finished Products for Sale / Distribution" (SOP) in place. After Completion of Batch, the Batch Production and Control Record (BPCR) shall be reviewed and finalized for its completion by the Production Officer / Executive as per the checklist. Check the BPCR for various entries at manufacturing and packing stage, reconciliation of material and product yield at the respective stages of the operation and batch shall be transferred to	6	36	Hence current procedure for Batch Release reveals that there could not be chances to batch can be released without FG results. So no action recommended.		N A	N A	N A	N A	N A	NA



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

Reference Document No.: Risk Assessment No.:

		STANDA	RD ROOT CAUSE	ANAL	YSIS			SPI	ECIFIC	PER N	ANUFACTURING PROC	CESS						
Ite m No	Process Step/Input	Potential Failure Mode	Potential Failure Effects	Applicability	Severity	Potential Causes	Occurrence	Current Controls	Detection	Risk RPN	Actions Recommended	Resp.	Actions Taken	Severity	Occurrence	Detection	Risk RPN	COMMENTS
								QA terminal inspection room for inspection purpose. QA shall receive the batch for inspection as per SOP, "Terminal Inspection and Transfer of Finished Goods". QA shall review the Batch Production and Control Record (BPCR) as per the checklist. QA shall ensure the Completion of the QMS documents, COA and Batch Production and Control Record (BPCR) before release. Batch shall release through SAP system for Sale or distribution.										

Rating Scale - Severity

10= Hazardous without warning/Regulatory Issue

- 6= Loss of function
- 3= Minor defect
- 1= Little or no effect

Rating Scale - Occurrence

10= Almost inevitable Time Period- Once per week

6= Frequent/Moderate failure Time Period- Once every 3 months

3= Occasional failures Time Period- Once every 1-3 years

1= Failure unlikely

Rating Scale - Detection

10= Almost undetectable

6= Low probability of detection

4= Reasonable probability of detection

3= High probability of detection

1= Almost certain detection

Remarks:

- 1.0 RPNs greater than 120 should be assessed for improvement actions. Any RPNs greater than 120 that cannot/ will not be reduced will need to be agreed with Novartis.
- **2.0** Recalculate the RPN this should only be done after the implementation of the action.



QUALITY ASSURANCE DEPARTMENT

QUALITY RISK ASSESSMENT & MITIGATION PLAN

FAILURE MODE EFFECT ANALYSIS FOR INTRODUCTION OF NEW HARDGELATIN CAPSULE IN MANUFACTURING FACILITY

Reference Document No.: Risk Assessment No.:

Prepared By Sign & Date

Checked By Sign & Date Approved By Sign & Date