

STANDARD OPERATING PROCEDURE		
<b>Department:</b> Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

#### 1.0 **OBJECTIVE**:

To lay down a Procedure for "Assigning of Identification Number to Equipment and Instrument".

#### 2.0 SCOPE:

This procedure is applicable for identification numbering of all equipment's, instruments and Components at ......

#### 3.0 RESPONSIBILITY:

- **3.1** Executive/designee-Concern department shall be responsible for preparation/ updation of Equipment/Instrument list, affix identification tag on Equipment/Instrument.
- **3.2** Head/designee of concern department shall be responsible for verification and review of Equipment/Instrument list.
- **3.3** Executive/designee-QA shall be responsible for assigning the Equipment/Instrument ID, Code, Distribution and control of Equipment/Instrument list to all concern departments.
- **3.4** Head/designee-QA shall be responsible for approval of Equipment/Instrument list.
- **3.5** Executive/designee-EG shall be responsible for preparation of Instrument/Component ID list.

#### 4.0 ACCOUNTABILITY:

Head-Quality Assurance shall be accountable for the compliance of this Standard Operating Procedure.

#### 5.0 **DEFINITION**

- **5.1 Equipment:** Equipment encompasses the physical entities necessary to complete a major step of a Recipe step e.g. Mixing Vessel, Holding Vessel & Autoclave etc.
- **5.2 Instrument:** An Instrument is a device or devices used to carry out a measurement. It is stand alone System e.g. auto pipette.
- **5.3 Component:** Component is the part of the instrument/equipment which works cohesively for the Performance of the equipment/instrument. E.g. pressure gauges of autoclave. Components can be



STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Assigning of Identification Number to Equipment and Instrument	<b>Effective Date:</b>		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

Critical or non-critical depending upon their potential impact on drug quality.

- **5.4 Critical Component:** A component within a system where the operation, contact, data, control, Alarm or failure may have a direct impact on the quality of the drug.
- **5.5 Non-Critical Component:** A component within a system where the operation, contact, data Control, alarm or failure will have an indirect impact or no impact on drug quality.

#### 6.0 PROCEDURE

- **6.1** After the approval of equipment/instrument identification number request by Head/designee-QA, Executive/designee-QA shall assign the equipment/instrument identification number.
- **6.2** Equipment/Instrument code is a combination of two or More than two alphabets (taken from the equipment/instrument name) which shall be unique for each type of equipment/instrument showing equipment/instrument's title in short form. The code allotted to one type of equipment/instrument shall not be allotted to others.
  - For example; for Mixing Vessel the equipment code is MV and so on.
- **6.3** During Design Qualification for the any Equipment/Instrument, Executive/designee of concerned Department shall raise the request for the equipment/instrument identification number as per Annexure-VI (before Installation qualification).
- **6.4** Equipment/Instrument number shall be as follows:

AAA/XX/YY/ZZZ Where.

'AAA' is Plant code.

'XX' is department code (to which the equipment/instrument belongs).

'YY' is equipment/instrument code. (Two or More than Two word of Alphabet)

'ZZZ' is sequential serial number of the equipment/instrument starting from 001 for the same type of equipment. For different equipment/instrument, equipment/instrument code shall be different.



QUALITY ASSURANCE DEPARTMENT

CONTRACT NO SOLVENIEN			
STANDARD OPERATING PROCEDURE			
Department: Quality Assurance SOP No.:			
Title: Assigning of Identification Number to Equipment and Instrument	<b>Effective Date:</b>		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		
<ul> <li>E.g. Equipment number of first Mixing Vessel and Holding Vessel of manufacturing department shall be written as/A1/MV/001 and/A1/HV/002 respectively and shall be continued sequentially by Department code.</li> <li>6.5 Instrument in built equipment id Number Shall be given below</li> </ul>			
<b>6.5</b> Instrument in built equipment id Number Shall be given below			

XX/YY/ZZ/AA-BB

- 'XX' is department code (to which the equipment/instrument belongs).
- 'YY' is equipment/instrument code.
- 'ZZ' is sequential serial number of the equipment/instrument starting from 001
- 'AA' is instrument in built equipment
- 'BB' is sequential serial number of instrument
- E.g. Instrument number of Pressure gauge of Autoclave in ampoule line 1shall be written as A1/AT/001/PG-01
- **6.6** Equipment/Instrument component number shall be as follows:
- **6.6.1** For Balance uses in plant.

...../BL/001

This identification code change only for last three digits like 001, 002, 003

**6.6.2** For Digital Thermometer (Hygrometer)

...../DTM/001

This identification code change only for last three digits like 001, 002, 003.

**6.6.3** For Magnehelic Gauge

...../MG/001

This identification code change only for last three digits like 001, 002, 003.

**6.6.4** For Pressure Gauge

...../PG/001

This identification code change only for last three digits like 001, 002, 003.

**6.6.5** For Amp. Meter.

...../AMP/001

This identification code change only for last three digits like 001, 002, 003.



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCE	EDURE			
artment: Quality Assurance SOP No.:				
gning of Identification Number to Equipment and Instrument	Effective Date:			
Supersedes: Nil Review Date				
Issue Date: Page No.:				
For Voltmeter				
/VOLT/001				
This identification code change only for last three digits like 00	01, 002, 003.			
For Temperature Controller				
/TC/001				
This identification code change only for last three digits like 0	01, 002, 003			
For Vacuum Gauge				
<b>6.6.8</b> For Vacuum Gauge/VG/001				
This identification code change only for last three digits like 001, 002, 003.				
For Rotameter				
<b>6.6.9</b> For Rotameter/ROTA/001				
This identification code change only for last three digits like 001, 002, 003.				
<b>6.6.10</b> For Temperature Sensor				
/TS/001				
This identification code change only for last three digits like 0	01, 002, 003.			
For Temperature Transmitter				
<b>6.6.11</b> For Temperature Transmitter/TT/001				
This identification code change only for last three digits like 0	01, 002, 003.			
For level Transmitter				
/LT/001				
This identification code change only for last three digits like 0	01, 002, 003.			
For Conductivity Sensor Cum Controller				
/CSCC/001				
This identification code change only for last three digits like 00	01, 002, 003.			
<b>6.6.14</b> For Flow Transmitter				
/FT/001				
This identification code change only for last three digits like 0	01, 002, 003.			
ORP Sensor Cum Controller				
	ric Quality Assurance gning of Identification Number to Equipment and Instrument  Nil  For Voltmeter/VOLT/001 This identification code change only for last three digits like 00 For Temperature Controller/TC/001 This identification code change only for last three digits like 00 For Vacuum Gauge/VG/001 This identification code change only for last three digits like 00 For Rotameter/ROTA/001 This identification code change only for last three digits like 00 For Temperature Sensor/TS/001 This identification code change only for last three digits like 00 For Temperature Transmitter/TT/001 This identification code change only for last three digits like 00 For level Transmitter/LT/001 This identification code change only for last three digits like 00 For Conductivity Sensor Cum Controller/CSCC/001 This identification code change only for last three digits like 00 For Flow Transmitter/FT/001 This identification code change only for last three digits like 00 For Flow Transmitter			



QUALITY ASSURANCE DEPARTMENT

	STANDARD OPERATING PROCE	DURE
Departmen	t: Quality Assurance	SOP No.:
Title: Assig	Title: Assigning of Identification Number to Equipment and Instrument  Effective Date:	
Supersedes		Review Date:
<b>Issue Date:</b>		Page No.:
	/ORP/001	
	This identification code change only for last three digits like 00	01, 002, 003.
6.6.16	PH Meter Cum Controller	
	/PH/001	
	This identification code change only for last three digits like 00	1, 002, 003.
6.6.17	For DTR	
	/DTR/001	
	This identification code change only for last three digits like 00	01, 002, 003.
6.6.18	For Drain point	
	/DT/XX/001	
	'XX' is for Department code	
	This identification code change only for last three digits like 00	01, 002, 003.
6.6.19	For Compressed Air	
	CA/SP/001	
This	s identification code change only for last three digits like 001, 00	2, 003.
6.6.20	For Anemometer	
	/AM/001	
	This identification code change only for last three digits like 00	01, 002, 003
6.6.21	AHU Numbering Given As below	
XX	X/YYY/ZZ-NNN in annexure VII	
'XX	XX' is for Plant code	
'YY	'Y' is for AHU	
'ZZ	' is for floor	
NN.	N is sequential serial number of AHU i.e. 001, 002, 003.	
	/AHU/GF-001	
_	U Supply Number given as below	
	X/YYY/ZZ-NNN/S-NN	
	XX' is for Plant code	



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
<b>Department:</b> Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	<b>Effective Date:</b>	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

'YYY' is for AHU

'ZZ' is for floor

'NNN' is sequential serial number of AHU i.e. 001, 002, 003.

'S' is supplier (Label Should be green colour)

'NN' is Number of supplier i.e.00

AHU Return riser Number given as below

XXX/YYY/ZZ-NNN/R-NN

'XXX' is for Plant code

'YYY' is for AHU

'ZZ' is for floor

'NNN' is sequential serial number of AHUi.e.001, 002, 003.

'R' is supplier (Label Should be Red colour)

'NN' is Number of Return riser i.e.00

**6.6.22** AHU Supply Number & Return riser Number maintained independently Department

Wise by Executive/designee-EG as per Annexure-VII

- **6.6.23** AHU Temperature gauge And AHU Pressure Gauge ID Number given as below
  - XXX/YY-NNN/TG-WWW

XXX Stand for AHU

YY Stand for FF

NNN is sequential serial number of AHU

TG Stand for Temperature Gauge

WWW is sequential serial number of Temperature Gauge

Example: AHU/FF-001/TG-001

• XXX/YY-NNN/PG-WWW

XXX Stand for AHU

YY Stand for FF

NNN is sequential serial number of AHU

PG Stand for Pressure Gauge



STANDARD OPERATING PROCEDURE		
Department: Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

WWW is sequential serial number of Pressure Gauge

Example: AHU/FF-001/PG-001

- 6.7 List of Instrument/component identification number shall be maintained independently Department wise by Executive/designee-EG as per Annexure-V which shall be controlled by Quality assurance.
- 6.8 In case of any component is broken down and replaced with new one, new instrument ID No. shall be generated as per Annexure-VI and List of Instrument/component identification number shall be updated.
- **6.9** Executive/designee-QA shall maintain the Equipment/Instrument code as per Annexure-III, Whenever there is addition or deletion of Equipment/Instrument.
- Equipment and Instrument List shall be updated by concerned department whenever any Equipment is added or deleted with updated revision number as per Annexure-II Respectively.
- **6.11** Executive/designee—Concerned department shall prepare the Equipment/Instrument tag as per Annexure-IV and shall be affixed on respective equipment/instrument on visible direction.

#### 7.0 ABBREVIATION

SOP Standard Operating Procedure

QA Quality Assurance

MF Manufacturing

EG Engineering

ID No. Identification Number



STANDARD OPERATING PROCEDURE			
<b>Department:</b> Quality Assurance	SOP No.:		
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

### 8.0 ANNEXURE:

Annexure No.	Title of Annexure	Format No.
Annexure-I	List of Equipments	
Annexure-II	List of Instruments	
Annexure-III	Equipment/Instrument Code	
Annexure-IV	Equipment/Instrument Identification Tag	
Annexure-V	Instrument/ component ID list	
Annexure-VI	Request for Equipment/Instrument code and Identification number	
Annexure-VII	AHU, Supply And Return Riser Id Number	

#### 9.0 DISTRIBUTION DETAILS:

☐ Master Copy Quality Assurance Department
☐ Controlled Copy No. 01 Quality Assurance Department.
☐ Controlled Copy No. 02 Quality Control Department.
☐ Controlled Copy No. 03 Production Department.
☐ Controlled Copy No. 04 Human Resource Department
☐ Controlled Copy No. 05 Engineering Department.
☐ Controlled Copy No. 06 Warehouse Department (Store)

#### 10.0 REFERENCE

ISPE good practice guide maintenance.

### 11.0 REVISION HISTORY

Revision	Change	Details of	Reason of	Effective	Done By
No.	Control No.	Changes	Changes	Date	
00	Not Applicable	Not Applicable	New SOP		



STANDARD OPERATING PROCEDURE			
<b>Department:</b> Quality Assurance	SOP No.:		
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

### ANNEXURE-I LIST OF EQUIPMENTS

<b>Effective Date:</b>	Revision No.

**Department Name:** 

S.No.	Equipment Name	Equipment ID	Make	Location



STANDARD OPERATING PROCEDURE		
<b>Department:</b> Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

### **ANNEXURE-II**

#### LIST OF INSTRUMENTS

<b>Effective Date:</b>	Revision No.:
<b>Department Name:</b>	

S.No.	Instrument Name	Instrument ID	Make	Location



STANDARD OPERATING PROCEDURE		
<b>Department:</b> Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	<b>Effective Date:</b>	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

# ANNEXURE-III EQUIPMENT/INSTRUMENT CODE

Effective Dat	e:	Revision No.:
S.No.	Equipment/Instrument Name	Code



STANDARD OPERATING PROCEDURE		
<b>Department:</b> Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

# ANNEXURE-IV EQUIPMENT/INSTRUMENT IDENTIFICATION TAG



### PHARMA DEVILS

QUALITY ASSURANCE DEPARTMENT

	GONTILL ASSOCIATION
Equipment/Instru	ument Name:
Equipment/Instru	ument ID No.:
Location:	
Make:	



STANDARD OPERATING PROCEDURE		
<b>Department:</b> Quality Assurance	SOP No.:	
Title: Assigning of Identification Number to Equipment and Instrument	<b>Effective Date:</b>	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

## ANNEXURE-V INSTRUMENT/COMPONENT ID LIST

Effective Date:	Revision No.:
Department Name:	

S.No.	Instrument Name	Location	Range	ID No.



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
<b>Department:</b> Quality Assurance	SOP No.:		
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

#### ANNEXURE-VI REQUEST FOR EQUIPMENT/INSTRUMENT CODE AND IDENTIFICATION NUMBER

REQUEST FOR EQUIPMENT/INSTRUMENT CODE AND IDENTIFICATION NUMBER				
Department:				
Equipment/Instrument Name:				
Make:				
Model:				
Quantity:				
Reason of request:				
Request raised by:	Approved By:			
(Executive/designee-Concern department)	(Head-Concern department)			
(Sign & Date)	(Sign & Date)			
Equipment Code:				
Equipment/Instrument number:				
Assigned By:	Received By:			
(Executive/designee-QA)	(Executive/designee-Concern department)			
(Sign & Date)	(Sign & Date)			



STANDARD OPERATING PROCEDURE			
<b>Department:</b> Quality Assurance	SOP No.:		
Title: Assigning of Identification Number to Equipment and Instrument	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

## ANNEXURE-VII AHU, SUPPLY AND RETURN RISER ID NUMBER

S.No.	AHU ID No.	Area	Supply	Return