

PHARMA DEVILS QUALITY ASSURANCE DEPARTMENT

POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

RISK ASSESSMENT REPORT

Product/System/Equipment	BLISTER PACK MACHINE (General Block)
Risk Assessment Report No.	
Report Date	



QUALITY ASSURANCE DEPARTMENT

POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

TABLE OF CONTENTS

S.No.	Description	Page No.
1.0	Introduction	4
2.0	Objective	4
3.0	Scope	4
4.0	Risk Assessment Approach	4
5.0	Responsibility	4
6.0	Reference Documents	5
7.0	Risk Ranking Parameters	5-6
8.0	Acceptance Criteria for risk assessment by FMEA	7
9.0	Risk assessment as per FMEA	8-22
9.1	Review of Risk assessment as per FMEA after action taken.	23
10.0	Risk Control Measures	24
11.0	Summary and Conclusion Report for Risk Assessment	25
12.0	Final Report Approval	26

DOCUMENT APPROVAL:

This risk analysis study for the preapproval of report by following:



PHARMA DEVILS QUALITY ASSURANCE DEPARTMENT

POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

Responsibility	Name	Signature	Date
Prepared by	Quality assurance		
	Production		
	Quality control		
Reviewed by	engineering		
	Store		
	Quality assurance		
Approved by	Head-QA		

1.0 Introduction



POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

The "Blister Pack Machine "is intended to use packing of tablets and capsules with assurance of product safety .Packing is achieved by using printed aluminium foil as leading foil and base foil material as PVC/PVDC/ALU.

2.0 Objective

Objective of this report is to assess the risk associated with the equipment "Blister Pack Machine" in post assessment in the manufacturing facility of General Block of, in line with the guidance of the Risk Management manual ofand ICH Q9.

3.0 Scope

4.0 Risk assessment approach

Risk assessment is carried out as per FMEA (Failure mode, effects analysis) method.

5.0 Responsibility

Quality Assurance

Engineering

Production

Quality Control

Store

6.0 Reference Documents

- 1. ICH Q9-Quality Risk Management
- 2. guidance on Risk assessment.

Background



POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

7.0 RISK RANKING PARAMETERS_

7.1 Rating parameters for Severity

Effect	Scale	Description							
No effect	1	No effect on output							
Very slight	2	Customer not annoyed							
Slight	3	Slight							
Minor 4		Minor effect on performance							
Moderate 5		Moderate effect on performance							
Significant	6	Partial failure but operable							
Major	7	Product performance severely affected, but some operability and safe							
Extreme	8	Very dissatisfied, product inoperable but safe							
Serious	9	Potentially hazardous effect, time-dependent failure							
Hazardous	10	Hazardous effect, safety related sudden failure							

7.2 Rating parameters for Occurrence

Occurrence	Scale	Description						
Almost never	1	Failure unlikely; history shows no failures						
Remote	2	Rare number of historical failure						
Very Slight	3	Very few failures likely						
Slight 4		Few failures likely						
Low	5	Occasional number of failures likely						
Medium	6	Medium number of failures likely						
Moderately High	7	Moderately high number of failures likely						
High	8	High number of failures likely						
Very High	9	Very high number of failures likely						



POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

Almost certain	10	Failure almost certain
----------------	----	------------------------

7.3 Rating parameters for Detection control

Detection	Scale	Description						
Almost certain	1	Proven detection methods with high reliability						
Very High	2	Proven detection methods available						
High	3	Detection tools have high chance of detecting methods						
Moderately High	4	Almost certain not to detect failure						
Medium	5	Detection tools have moderate chance of detecting defect						
Low	6	Detection tools have a low chance of detecting failure						
Slight	7	Detection tools may not detect failure						
Very Slight	8	Detection tools will probably not detect failure						
Remote	9	Detection tools most likely will not detect failure						
Impossible	10	Failure not detected						

Note: Individual contributory factor for each potential failure mode shall be rated. Other scale parameters may also be selected based on the process.

8.0 ACCEPTANCE CRITERIA FOR RISK ASSESSMENT BY FMEA

Acceptance criteria for FMEA are as follows:

S.No.	RPN Rating	RPN Category	Action Status
1.	≥ 76	Critical	CAPA Required
2.	51 to 75	Major	CAPA Required
3.	26 to 50	Moderate	CAPA Required
4.	Up to 25	Minor	Not applicable

POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

9.0 POST-RISK ASSESSMENT AS PER FMEA:

Name of facility/Utility/Equipment/Process/Operation: Blister Pack Machine

	j			operation. Buster I ack ivi			(D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (s)	Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
	Design Qualification document received is inadequate.	Equipment may not function as desired.	4	No or inadequate clarity (Knowledge) in preparation of URS.	3		2	24	Current control measures are adequate	NA	NA	NA	NA	NA	NA
		c-GMP requirement will not met	7		3	URS is prepared by experienced personnel with the help of engineering ,QA & department Head. Well experienced Personnel from QA, Engineering & user department verified DQ against URS.	1	21		NA	NA	NA	NA	NA	NA
1		Safety measures with respect to operator and environment will not be clear.	4		3		2	24		NA	NA	NA	NA	NA	NA
		Clarity on P & ID diagram will not be clear	3		3		2	18		NA	NA	NA	NA	NA	NA
		Major components list will be missed out.	6		2		2	24		NA	NA	NA	NA	NA	NA

			(s)		0	atrol	D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	Detection RPN (S x O	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
	Design Qualification document received is inadequate	Requirement of utilities (power and compressed air,cooling water) will not be clear.	3	No or inadequate clarity (Knowledge) in preparation of URS.	4	Well experienced Personnel from QA, Engineering & user department verified DQ against URS.	2	24	Current control measures are adequate	NA	NA	NA	NA	NA	NA
		Functional design specification will not be available.	4		3		2	24		NA	NA	NA	NA	NA	NA
		Generally assembling diagram will not be clear	4		4		1	16		NA	NA	NA	NA	NA	NA

			(S)	(s)		(0)	ntrol	(D)	x D)		ity	Action Results				
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN	
		Instrument list connected Design Qualification document received is inadequate with equipment will be missing	4		3		2	24		NA	NA	NA	NA	NA	NA	

		Potential effect (s) of failure	(8)		(0)	ntrol	atrol (D)			ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode		Severity (s)	Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O x D)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
2	Design Qualification document is not checked and verified properly.	Document verification related to design verification, cGMP requirement, Instrument & control verification, components verification, utility verification & safety verification will not be appropriate.	4	Inadequate knowledge or inadequate training to all concerned.	3	Well experienced Personnel from QA, Engineering & user department verified DQ against URS.	2	24	Current control measures are adequate	NA	NA	NA	NA	NA	NA
3	Installation Qualification document is inadequate	Inadequate Installation of equipment	4	Inadequate information in IQ.	3	Interpretation of URS along with DQ. SOP is in place for verification of IQ document.	2	21	Current control measures are adequate	NA	NA	NA	NA	NA	NA
		Identification of major components will be missing	6	Inadequate information in IQ.	2	Interpretation of URS along with DQ. SOP is in place for verification of IQ	2	24	Current control measures are adequate	NA	NA	NA	NA	NA	NA

			(s)		0	atrol	D	x D)		ity		Acti	ion Res	ults	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O x	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
		No or inadequate clarity on equipment / documents required for completion of IQ.	3		3	document.	2	18		NA	NA	NA	NA	NA	NA
4	Calibrated Measuring equipment not available at site.(multimeter, spirit level, Tachometer, clamp meter)	Installation will be improper, Equipment will not perform as intended	6	Inadequate training	4	Ensure Physically for the availability of equipment before execution of IQ.	1	24	Current control measures are adequate	NA	NA	NA	NA	NA	NA

			(s)		(0)	ıtrol	D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
5	Reference document not available at site during IQ. (FDS, PLC FDS, GA and electrical drawing, installation & Operational manual, Material chart with test certificate & Manual.)	Installation will be improper, Equipment will not perform as intended	6	Inadequate knowledge for verification of reference documents on receipt.	4	Qualification team will ensure Physically for the availability of documents before execution of IQ.	1	24	Current control measures are adequate	NA	NA	NA	NA	NA	NA
6	MOC verification not done during IQ (For contact and non contact parts)	Product may gets contaminated	7	MOC Test certificate not provided by vendor. Molybdenum Kit Not available	4	Procedure is in place for verification during IQ.	2	56	Molybdenum kit to be procured	Engine ering,					
7	Equipment name plate not available during IQ	Equipment will not be identified.	4	Equipment name plate not provided by vendor	3	Procedure is in place for verification during IQ.	2	24	Controlled measures are in place	NA	NA	NA	NA	NA	NA

			(s)		(0)	ıtrol	D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (s)	Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O y	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
8	Instrumentation & calibration check not performed.	IQ will not be performed	5	Inadequate Knowledge or training to concern personnel	3	Procedure is in place for verification during IQ.	1	15	Controlled measures are in place	NA	NA	NA	NA	NA	NA
9	Operational document is inadequate	inadequate Operation of equipment	6	Inadequate information in OQ	4	SOP is in place for verification of OQ Protocol.	1	24	Controlled measures are in place	NA	NA	NA	NA	NA	NA
10	IQ not completed prior to OQ	OQ Cannot be proceed	6	Incomplete documentation. Installation not completed	4	SOP is in place to perform OQ after successful completion of IQ	1	24	Controlled measures are in place	NA	NA	NA	NA	NA	NA
11	Prequalification requirement not checked during OQ. (Tools are not removed from the equipment.)	Accident may happen	10	Inadequate knowledge or safety measures are not followed	2	Activity will performed by Trained personnel.	1	20	Controlled measures are in place	NA	NA	NA	NA	NA	NA
	Emergency "STOP" button not released.	Equipment will not run	6	Inadequate knowledge	4	Procedure are in place for verification during OQ	1	24	Controlled measures are in place	NA	NA	NA	NA	NA	NA

			(s)		(0)	ıtrol	D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
	External equipment is not disconnected.	Accident may happen	10	Inadequate knowledge or safety measures are not followed	2	Activity will performed by Trained personnel. Procedure are in place for verification during OQ	1	20	Controlled measures are in place	NA	NA	NA	NA	NA	NA
12	Temperature sensors are not calibrated	No accuracy of temperature	7	Inadequate knowledge/training	3	Procedure are in place for verification during OQ	1	21	Controlled measures are in place	NA	NA	NA	NA	NA	NA
13	Equipment operation verification not done. (Noise level).	Equipment will not perform as intended	10	Inadequate knowledge/training for operating the equipment.	2	Procedure are in place for verification during OQ	1	20	Controlled measures are in place	NA	NA	NA	NA	NA	NA
14	Equipment control functions, interlocks & alarm verification test not done.	Equipment will not function as desired.	7	Inadequate knowledge/training for operating the equipment.	3	Procedure are in place for verification during OQ	1	21	Controlled measures are in place	NA	NA	NA	NA	NA	NA
	Adequate safety features for men and material not provided with the equipment	Accident may happen	10	Inadequate knowledge	2	Procedure are in place for verification during IQ & OQ	1	20	Controlled measures are in place	NA	NA	NA	NA	NA	NA

			(s)		(0)	atrol	(D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
	Flame proof motors not provided	Accident may happen	10	Inadequate knowledge	2	Procedure are in place for verification during IQ & OQ	1	20	Controlled measures are in place	NA	NA	NA	NA	NA	NA
	Equipment control functions verification test not done.	Recipe preparation will not be possible	8	Inadequate knowledge/training for operating the equipment.	3	Procedure for Preparation of Recipe is available in operational manual	7	168	SOP will be prepared for preparation of Recipe	Product ion	NA	NA	NA	NA	NA
		Equipment will not be under password protection	8	Recipe is not prepared through password protection	4	Procedure for Preparation of Recipe is available in operational manual	6	192	SOP will be prepared for preparation of password protection	Product ion	NA	NA	NA	NA	NA
15		Selection of appropriate mode like Manual, Auto, Recipe, Maintenance, wash will not be possible	8	Inadequate knowledge/training for operating the equipment	3	Verified in Operational checks during OQ.	6	144	SOP will be prepared for proper selection recipe for product, Maintenance, wash	Product ion	NA	NA	NA	NA	NA

			(S)		0	ntrol	(D)	x D)		ity		Acti	ion Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (s)	Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
		System will not give any alarm during malfunctionin g.	6	System run in Manual Mode	4	Activity will performed by Trained personnel.	1	24	System should not run in manual mode after validation, accordingly SOP will be prepared.	NA	NA	NA	NA	NA	NA
16	Equipment is not assembled after cleaning, preventive maintenance, break down, calibration	Accident may happen. Equipment not functioned as expected	10	Inadequate knowledge/training for operating the equipment	2	Procedure is in place for proper assembling after properly cleaning, preventive maintenance, calibration	1	20	Control measures are in place.	NA	NA	NA	NA	NA	NA
17	Recipe not prepared for Product, Wash, maintenance cycle.	Consistent performance of equipment will not be possible	6	Inadequate knowledge/training for operating the equipment	4	Procedure for Preparation of Recipe is available in operational manual	5	120	Sop will be prepared for recipe preparation for Product, Wash, maintenance cycle.	Product ion	NA	NA	NA	NA	NA

			(s)		(0)	atrol	(D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
18	Major changes done without any documentation	Performances of equipment will not guaranteed. Product quality may get affected	6	Inadequate knowledge/training	3	Change control Sop is in place	1	18	Control measures are in place.	NA	NA	NA	NA	NA	NA
19	Product designing is not done considering current equipment design and capacity	Performances of equipment will not guaranteed. Product quality may get affected	6	No or inadequate clarity about equipment design and capacity	3	Performance qualification will be carried out on equipment considering Min. & Max. capacity & design	1	18	Control measures are in place.	NA	NA	NA	NA	NA	NA
20	Process validation guidance is not clear (sample withdrawal).	Performance of the equipment will not be guaranteed.	8	Inadequate knowledge/training	2	Process validation protocol will cover the sampling location.	1	16	measures are in place.	NA	NA	NA	NA	NA	NA
21	Equipment is not cleaned properly	Product will contaminated	8	Cleaning procedure is not followed correctly	2	Line clearance & cleaning procedure is in place	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA

			(s)		(0)	atrol	(D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O y	Recommended action	Responsibility and TCD	Action	Severity	Occurrence	Detection	New RPN
22	Operating adjustments are not proper(sealing roller, roller temperature, mounting and dismantle of roller)	Knurling is not proper	8	Inadequate knowledge/training	2	Activity will performed by Trained personnel.	1	16	Control measures are in place	NA	NA	NA	NA	NA	NA
23	Feeding system is not working	Packing is not proper	8	Inadequate knowledge/training	2	Activity is controlled by vibrator .Activity will performed by Trained personnel	1	16	Control measures are in place	NA	NA	NA	NA	NA	NA
24	Batch coding is not proper	Quality affected	8	Inadequate knowledge/training	2	Activity will performed by Trained personnel	1	16	Control measures are in place	NA	NA	NA	NA	NA	NA
25	Cutting system is not functioning proper.	Product affected, Accident happens.	8	Inadequate knowledge/training	2	Activity will performed by Trained personnel	1	16	Control measures are in place	NA	NA	NA	NA	NA	NA

			(s)		(0)	atrol	(D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence (O)	Current Control	Detection (D)	RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
	Daily check ups not followed (Roller pressure and lock bolts, Chute center and release pin setting, cutting length, batch coding, conveyor belt.)	Quality affected	8	Inadequate knowledge/training	2	Activity will performed by Trained personnel	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA
26	Non fill camera are not proper working	Packing is not proper	8	Inadequate knowledge/training	2	Verified in Operational checks during OQ.	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA
27	Base -film proximity switch not working properly	Unwound on the core	8	Inadequate knowledge/training	2	Limit switch sense to stop machine. Verified in Operational checks during OQ.	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA
28	Forming station is not working	Required cavities are not formed	8	Inadequate knowledge/training	2	Verified in Operational checks during OQ.	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA



			(s)		0	atrol	(D)	x D)		ity		Acti	on Resu	ılts	
S.No.	Potential Failure Mode	Potential effect (s) of failure	Severity (Potential cause/ Mechanism of failure	Occurrence	Current Con	Detection (RPN (S x O)	Recommended action	Responsibility and TCD	Action taken	Severity	Occurrence	Detection	New RPN
29	Guards inter lock not working	Accident happens	8	Inadequate knowledge/training	2	Alarm message on PLC, Verified in Operational checks during OQ.	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA
30	Print registration not working properly	Trim wastage occurs	8	Inadequate knowledge/training	2	Operational checks during OQ.	1	16	Control measures are in place.	NA	NA	NA	NA	NA	NA





POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

9.1 REVIEW OF RISK ASSESSMENT AS PER FMEA AFTER ACTION TAKEN:

	Action Results				D 1
Action Taken	Severity	Occurrence	Detectability	RPN	Remarks





10.0 RISK CONTROL MEASURES	
Investigation/ findings: (an extra sheet can be used if space is insufficient)	
	••
	••
	••
	••
	••
	••
	••
	••
	••
Corrective Action: (an extra sheet can be used if space is insufficient)	
	••
	••
	••
	••
	••
	••
	••
	••
	••
	••
(Sign/Date)	





11.0 SUMMARY AND CONCLUSION REPORT FOR RISK ASSESSMENT					
Summary:					
Conclusion:					



POST RISK ASSESSMENT FOR BLISTER PACKING MACHINE

12.0 FINAL REPORT APPROVAL:

The final report shall be signed after identifying all the risks and critical control parameters. All the reports or documents have been attached to the respective report (if applicable).

Signature in the block below indicates that all the control measures taken are documented and have been reviewed and found to be acceptable.

Department	Name	Designation	Signature	Date
Quality assurance				
Production				
Quality control				
Engineering				
Store				
Head-QA				