

PRODUCTION DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Production	SOP No.:	
Title: Entry and Exit of Male and Female Staff workers	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

1.0 **OBJECTIVE**:

To lay down the procedure for Entry and Exit procedure of male and female staffs/workers in Production area.

2.0 SCOPE:

This SOP is applicable for Entry and Exit procedure of male and female staffs/workers in Production area.

3.0 RESPONSIBILITY:

Production :Officer /Executive/Assistant Manager HOD–Production/QA.

4.0 PROCEDURE:

4.1 Entry procedure into primary change room :

- 4.1.1 Wash your hands with liquid soap followed by water in the wash basin and dry hands using hand dryer.
- 4.1.2 Remove street shoes and keep it in the respective locker.
- 4.1.3 Disinfect hands with 70% v/v IPA solution before enter into Primary change room.
- 4.1.4 Enter into primary change room, remove street clothes, watch, rings, bangles etc. and keep it in the respective locker.
- 4.1.5 Cross over the bench and take the cleaned factory garments (primary gown) and factory shoes from the respective lockers/ Linen room.
- 4.1.6 Wear the factory primary gown and factory shoes and check attire in Mirror.
- 4.1.7 Disinfect hands with 70% v/v IPA solution and enter into primary corridor.
- 4.1.8 The details of Color coding of the garments and footwear shall be followed as per department wise is given in below table.

4.2 Entry procedure into Secondary change room:



PRODUCTION DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Production	SOP No.:	
Title: Entry and Exit of Male and Female Staff workers	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

- 4.2.1 Enter into secondary change room and take secondary gown from respective lockers provided in the respective area, The details of Color coding of the garments and footwear shall be followed as per department wise is given in below table.
- 4.2.2 Secondary gown consists of snood, boiler suits and booties.
- 4.2.3 First wear snood/head gear.
- 4.2.4 Then wear secondary gown as per the color code mentioned below.
- 4.2.5 Wear booties over the trousers while crossing over the bench & tie them properly.
- 4.2.6 Disinfect hands with 70% v/v IPA solution provided before entering into the core area.

Note:

 Before entry to other core area having different product, fresh secondary gown shall be used as per point no.4.2.1

4.3 Exit Procedure from Secondary change room:

- 4.3.1 Remove secondary gown in the sequence given below.
- 4.3.2 First remove booties by untying the knot and cross through cross over bench.
- 4.3.3 Remove the boiler suit & then snood /head gear.
- 4.3.4 Keep the used secondary gowns in the respective locker provided in respective area.
- 4.3.5 Exit from the Secondary change room with primary gowns.

4.4 Exit Procedure from primary change room:

- 4.4.1 Enter into primary change room from the primary corridor.
- 4.4.2 Remove factory shoes and place them in the respective locker provided.
- 4.4.3 Remove primary gowns and keep the used gowns in the respective locker provided in respective area.
- 4.4.4 Cross over the bench.
- 4.4.5 Wear street clothes and street shoes, watch, rings, bangles etc., move from the place and exit.
- 4.4.6 Refer below table for Color coding details of Garments and Footwear.



PRODUCTION DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Production	SOP No.:	
Title: Entry and Exit of Male and Female Staff workers	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

S.No.	Department	Primary		Secondary	
		Staff	Workmen	Staff	Workmen
1.	Visitors/QA/PAD/	White aprons,	Specific area	Specific area	Specific area
	Quality Control/Quality	cap with	dress code to	dress code to	dress code to
	Control (Microbiology	shoes covers	be followed	be followed	be followed
	Section)				
2.	Stores/Production, IPQA	Gray Shirt,	Gray Shirt,	Gray boiler	Gray boiler
	(Tablet)	Pant with	Pant with Cap.	suit with	suit with
		Cap.		booties &	booties &
				head gear.	head gear
3.	Production-Ointment	Blue shirt and	Blue shirt and	Blue boiler	Blue boiler
		Pant with cap.	Pant with cap	suit with	suit with
				booties &	booties &
				head gear	head gear
4.	Engineering	Dark Coffee	Dark Coffee	Dark Coffee	Dark Coffee
		shirt and Pant	shirt and Pant	boiler suit	boiler suit
		with cap.	with cap.	with booties	with booties
				& head gear	& head gear
5.	House Keeping	Pink shirt and	Pink shirt and	Pink Boiler	Pink Boiler
		Pant with cap	Pant with cap	Suit with	Suit with
				booties &	booties &
				head gear	head gear
6.	Production-Soft Gelatin	Dark Green	Dark Green	Dark Green	Dark Green
		shirt and Pant	shirt and Pant	boiler suit	boiler suit
		with cap	with cap.	with booties	with booties
				& head gear	& head gear

Note:

- 1. For Ladies: Color codes are same as above.
- 2. Foot wear code Gents: Black color Plastic Shoes; Ladies: Plastic slipper.

5.0 ANNEXURE (S):

Nil

6.0 REFERENCE (S):

SOP: Preparation, approval, distribution control, revision and destruction of Standard Operating Procedure (SOP).



PRODUCTION DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Production SOP No.:			
Title: Entry and Exit of Male and Female Staff workers	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

7.0 ABBREVIATION (S) / **DEFINITION** (S):

HOD: Head of departmentIPA: Isopropyl AlcoholQA: Quality Assurance

V/V : Volume/Volume

REVISION CARD

S.No.	REVISION No.	REVISION DATE	DETAILS OF REVISION	REASON (S) FOR REVISION	REFERENCE CHANGE CONTROL No.
1	00			New SOP	