

PHARMA DEVILS

ENGINEERING DEPARTMENT

Ш	CODA		ъ	N 7	
	Title: Preventive Maintenance	of Demineralisation Water Plant			

SOF No.:	Kevision No.:	00
Effective Date:	Supersedes No.	Nil
Review Date:	Page No.	1 of 3

1.0 OBJECTIVE

1.1 To describe a procedure for the preventive maintenance of DM plant.

2.0 SCOPE

2.1 This procedure applies to the Engineering department.

3.0 RESPONSIBILITY

3.1 Engineering

4.0 ACCOUNTABILITY

4.1 Plant Head

5.0 REFERENCE (S)

5.1 In-house.

6.0 PROCEDURE

- 6.1 Procedure of mechanical work:
 - 6.1.1 Switch off the power supply of the machine and put "under maintenance" label.
 - 6.1.2 Clean and lubricate the entire diaphragm valve by using grease.
 - 6.1.3 Check for any leakage from the flanges and if it is so, then tighten the same.
 - 6.1.4 Clean the injector assembly by flushing the fresh water.
 - 6.1.5 Clean the filter of the suction line for NaOH and HCL.
- 6.2 Procedure of electrical work:
 - 6.2.1 Clean the electrical panel using compressed air.
 - 6.2.2 Check the connection of the entire field wiring along with power connection.
 - 6.2.3 Check the connection of all the sensors and clean them using compressed air.
- 6.3 Procedure of trial run:
 - 6.3.1 Switch on the power supply and open the valves.
 - 6.3.2 Check & record the observations as per Annexure-.
- 6.4 Procedure of handover of the plant:
 - 6.4.1 Remove under maintenance label & affix preventive maintenance status tag and inform the concerned department.
- 6.5 Frequency of preventive maintenance is once in two months.

7.0 HISTORY

7.1 Details are given below.

SOP No.	REASON FOR CHANGE	EFFECTIVE DATE



PHARMA DEVILS ENGINEERING DEPARTMENT

Title: Preventive Maintenance of Demineralisation Water Plant

SOP No.:	Revision No.:	00
Effective Date:	Supersedes No.	Nil
Review Date:	Page No.	2 of 3

8.0 ABBREVIATIONS: The abbreviations used in the SOP are as follows:

8.1 SOP - Standard Operating Procedure

8.2 No. - Number

8.3 QA - Quality Assurance8.4 MP - Multi Purpose



PHARMA DEVILS

ENGINEERING DEPARTMENT

Title: Preventive Maintenance	of Demineralisation Water Plant	
SOP No.:	Revision No.:	00
Effective Date:	Supersedes No.	Nil
Review Date:	Page No.	3 of 3

ANNEXURE-I

al connections		
of prefilter like coal		
ages from valves & flanges.		
TDS regularly to maintain the er.		
pipe leakage.		
9	r.	r.