



**Title:** Preventive Maintenance of Fly Killer

<b>SOP No.:</b>		<b>Revision No.:</b>	00
<b>Effective Date:</b>		<b>Supersedes No.</b>	Nil
<b>Review Date:</b>		<b>Page No.</b>	1 of 2

**1.0 OBJECTIVE**

1.1 To describe a procedure for the preventive maintenance of fly killer. .

**2.0 SCOPE**

2.1 This procedure applies to the Engineering department.

**3.0 RESPONSIBILITY**

3.1 Engineering

**4.0 ACCOUNTABILITY**

4.1 Plant Head

**5.0 REFERENCE (S)**

5.1 In-house.

**6.0 PROCEDURE**

6.1 Switch off the machine and put “under maintenance” label.

6.2 Remove the cover.

6.3 Remove the tube light.

6.4 Clean the fly killer body & tray with lint free cloth.

6.5 Put on fly killer mains.

6.6 Clean the tube, if need be replace.

6.7 Check & record the observations as per Annexure.

6.8 Remove “under maintenance” label & affix the preventive maintenance status tag and inform the concerned department.

6.9 Frequency of preventive maintenance is quarterly.

**7.0 HISTORY**

7.1 Details are given below.

SOP No.	REASON FOR CHANGE	EFFECTIVE DATE

**8.0 ABBREVIATIONS:** The abbreviations used in the SOP are as follows:

8.1 SOP - Standard Operating Procedure

8.2 No. - Number

8.3 QA - Quality Assurance



**Title:** Preventive Maintenance of Fly Killer

<b>SOP No.:</b>		<b>Revision No.:</b>	00
<b>Effective Date:</b>		<b>Supersedes No.</b>	Nil
<b>Review Date:</b>		<b>Page No.</b>	2 of 2

**ANNEXURE-I**

**PREVENTIVE MAINTENANCE CHECK LIST FOR FLY KILLER**

Equipment ID No. \_\_\_\_\_  
\_\_\_\_\_

Date: \_\_\_\_\_

S.No.	Particulars	Done/Not Done	Remarks
1.	Checking of electrical connections.		
2.	Checking of starters and ballasts.		
3.	Clean the tray.		
4.	Others.		

\_\_\_\_\_  
Done by  
(Sign & date)

\_\_\_\_\_  
Checked by  
(Sign & date)