



## **USER REQUIREMENT SPECIFICATION**

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 1 of 11

# **USER REQUIREMENT SPECIFICATION**

NAME OF THE ITEM: ROPP CAPPING MACHINE

## FUNCTIONAL AREA: PRODUCTION

**PROTOCOL No. :** 



PRODUCTION DEPARTMENT

## USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 2 of 11

## **CONTENT**

Sr. No.	Description
1.0	URS Approval
2.0	Objective
3.0	Responsibilities
4.0	Equipment Description & Identification
5.0	User Requirements
6.0	Complementary aspects
7.0	Safety and environmental Protection
8.0	Cleaning maintenance and service
9.0	Rules and Regulation
10.0	Scope of Delivery
11.0	Installation ,Commissioning and Tests
12.0	Qualification/Validation
13.0	Guarantee/ Warrantee





PRODUCTION DEPARTMENT

## **USER REQUIREMENT SPECIFICATION**

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 3 of 11

### 1.0 URS APPROVAL:

## **Protocol Prepared By:**

Functional area	Name	Signature	Date
Production			

### **URS Reviewed By:**

Functional area	Name	Signature	Date
Production			
Quality Assurance			
Engineering			

#### **URS Approved By:**

Functional area	Name	Signature	Date
Head Engineering			
Head Manufacturing			
Head Quality			





PRODUCTION DEPARTMENT

#### **USER REQUIREMENT SPECIFICATION**

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 4 of 11

#### 2.0 Objective:

The purpose of this document is to ensure that all the critical aspects of the Equipment, cGMP & Safety features have been considered in designing the equipment/instrument and is properly documented.

#### 3.0 Responsibilities:

In accordance with the document, following functions shall be responsible for initiation and finalization of Equipment user requirement specification. When the work is carried by contract/ consulting staff, all the work is to be performed under the oversight of .....

#### 3.1 Preparation of Document

- User department to prepare the URS
- Ensures that the document is in compliance with current policies and procedures of cGMP regulations.
- Ensures that the content is sufficient, clearly defined, technically sound and accurate.
- It is a Guidance document to prepare the URS.

#### 3.2 Review of Document

• To be reviewed by Head of the user department and functional department (Engineering & Quality assurance)

#### 3.3 Approval of Document

• Approval of document by Head Manufacturing/Head Engineering/Head Quality.

#### 4.0 Equipment Description & Identification:

#### 4.1 Scope:

This document covers all aspects of Users requirements for the Equipment along with all Attachment, Spare Parts, Change Parts and Accessories to be used in .....

Scope incorporates understanding and documentation of critical requirements such as system requirements, cGMP requirements, safety requirements, documentation requirements and operational requirements.

#### 4.2 Purpose:

Purpose of equipment is used in production area for the capping of the bottles.



PRODUCTION DEPARTMENT

## USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 5 of 11

## 5.0 USER REQUIREMENTS

## 5.1 System Requirements:

S.No.	SYSTEM COMPONENTS	SYSTEM REQUIREMENTS
1.	Identification (In case of Equipment	Details of Make, Name, Serial. No., Capacity, Model and Year of
	/Instrument)	manufacture should be available
2.	Model/Type	As per cGMP requirements.
3.	Capacity	240 bottle/min,
4.	Potential Suppliers	1.Anchor Mark
		2. JP machines.
5.	Contact parts	SS304 with Mat finish
6.	Non contact parts	SS304 with matt finish
7.	Non metallic contact parts	1. Any material with food grade quality having no Potential impact on
		the products.
		2. Durable.
		3. Must be easily cleanable.
8.	Motor & Electrical installations	As per machine requirement
9.	Machine assemblies	Must be covered with SS 304 with matt finish.
10.	Machine adjustments	Setting with zero clearance with good accuracy.
11.	Packaging & Transport	Should be packed and transported in such a way to avoid any damage
		during transportation.
12.	No. of requirements	01
13.	Requirements for any power failure backup's	To be backed up by installed in-house DG set.

#### 5.2 Technical Description

Sr. No.	SPECIFICATION	SYSTEM REQUIREMENTS
1.	Specification:	YES
	Production Rate: up to 240 bottle/min.	
	Bottle Diameter: 35-80 mm	
	Bottle Height :55 -150mm	
	Cap Diameter :28-45mm	
	Cap Height :14-20mm	
	Main Motor :2.0 HP with VFD.	
	Conveyor :0.5HP with VFD	
	Orienter :0.25HP	
	Height adjuster :0.5HP	
2.	Emergency off switch	YES



PRODUCTION DEPARTMENT

## USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 6 of 11

## 6.0 COMPLEMENTARY ASPECTS

### 6.1 Training

Sr. No.	Specification	SYSTEM REQUIREMENTS
6.1.1	The vendor Shall supply all available information for the	YES
	adequate exploitation of equipment. For the Compliance of	
	this purpose at the Job site and/ or at the Vendors Shop.	
	Vendor's technical staff shall train customer's personnel. The	
	scope of the	
	Training will be agreed during the contract signature.	
6.1.2	The supplier is to include the personnel training activities.	YES
	The supplier is to specify the foreseen time for:	
	Operator/Supervisor training	
	Manager Training	
	• Electrical maintenance training	
	Mechanical Maintenance training	
6.1.3	The supplier is to specify the personnel background needed	YES
	for each of the operators maintenance.	

### 6.2 Pre Delivery Qualifications (FAT)

Sr. No.	Specification	SYSTEM REQUIREMENTS
6.2.1	The System or its parts as provided for in the scope of supply	YES
	shall be pre-installed at the vendors shop prior to delivery to	
	customer site. Installation will be completed and documented	
	including mechanical parts as well as electrical connections	
	of all parts to facilitate taking over tests at Vendors shop prior	
	to delivery.	
	FAT protocol must be send by supplier to company prior to	
	FAT for approval. FAT protocol should have provision of	
	trial.	

#### **6.3 Supplier Technical Documentation Requirements:**

Sr. No.	COMPONENTS	REQUIREMENTS	
6.3.1	Drawings	Pre Installation Requirements will be supplied by	
	<ul><li>Equipment/Systems electrical drawing.</li><li>Point to point wiring diagram</li></ul>	Vendor	
6.3.2	LIST.		
	• Equipment and instrument list with Component description.	YES	
	• Electrical component parts list with Description.	YES	
	• Function check list.	YES	
	• Documentation list.		



PRODUCTION DEPARTMENT

## USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 7 of 11

Sr. No.	COMPONENTS	REQUIREMENTS
	• Spare part list	YES
		List of spares required for smooth operation will be
		provided by the Vendor at the time of ordering.

#### 6.4 Technical Manuals

Sr. No.	Specification	Requirements
6.4.1	Operating handbook	YES
6.4.2	Trouble Shooting Guide	YES
6.4.3	Equipment Description	YES
6.4.4	Equipment specification	YES
6.4.5	Maintenance Handbook	YES

### 7.0 SAFETY AND ENVIRONMENTAL PROTECTION

Sr. No.	Specification	Requirements
7.1	All motors have to be thermally Protected.	YES
7.2	All the Installation must be in accordance with the cGMP.	YES
7.3	The cGMP concerning safety must be applied.	YES

#### 8.0 CLEANING MAINTENANCE AND SERVICE

Sr. No.	Specification
8.1	In accordance with cGMP guidelines the units must be easy to clean, to disinfect, and where necessary.
8.2	The Supplier should guarantee that, if required, a service team can be on site within one working day.
8.3	The design should be such as to allow mechanical cleaning of the surface and that the cleanliness of the surface can be checked easily.
8.4	All machine parts, in particular instrumentation, should be constructed so that they can be easily removed and calibrated.
8.5	All special tools required for running and maintenance should be best.
8.6	A spare parts delivery guarantee with in time.

#### 9.0 RULES AND REGULATION

These standards, recommendation and requirements are considered the minimum. Specifications that are more stringent or expansive take the precedence. In case of conflict between published requirements, final determination is the responsibility of the Owners Representative.



PRODUCTION DEPARTMENT

## **USER REQUIREMENT SPECIFICATION**

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 8 of 11

## 10.0 SCOPE OF DELIVERY

Sr. No.	Specification	Requirements
10.1	Units described in the specific system requirements including all necessary controls and instrumentation.	YES
10.2	The complete mechanical and electrical installation.	YES
10.3	The Connections to all the necessary utilities, exhaust, and waste lines necessary for its operation.	Yes
10.4	All piping and cabling of the units itself.	YES
10.5	Wiring and cable run: all wiring and cable run is part of the supply. will supply the main power switches to be located in correspondence to the electrical and control cabinets delivered by the equipment supplier.	YES
10.6	All internal contacts of the supplied equipment for the required utilities.	YES
10.7	Unload on site of the equipment: the supplier is required to define all the necessary handling devices required to the unloading operation. The supplier will inform at least 4 weeks in advance the day of delivery and the list of required handling devices.	YES
10.8	Assembling operation: the required consumable, the internal transportation, the assembling tools and the required personal are part of the supply.	YES
10.9	A complete set of commissioning spare parts.	YES
10.10	All special tools necessary for use and maintenance of the supplied equipment.	YES
10.11	A complete set of two years spare parts should be listed quoted and offered as option.	YES
10.12	All test activities as specified in this document.	YES
10.13	Training in the use and maintenance of the equipment.	YES
10.14	A complete set of documentation as specified In this document.	YES

### 11.0 INSTALLATION, COMMISSIONING AND TESTS

#### 11.1 General

Sr. No.	Specification	Requirements
11.1.1	The Supplier must specify for each piece of equipment the Guaranteed performance and the guaranteed system performance. These values will be tested during the acceptance tests.	YES
11.1.2	In addition the functionality described in the user requirements and detailed in the system specifications will be tested.	YES



PRODUCTION DEPARTMENT

# USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 9 of 11

### 11.2 INSTALLATION, COMMISSION

Sr. No.	Specification	Requirements
11.2.1	The commissioning tests will be carried out in accordance with a written test plan developed	YES
	by the supplier with clearly stated test procedures and acceptance criteria.	
11.2.2	The supplier will approve successfully completed tests and will specify items requiring	YES
	additional work. Representatives from will attend and participate in the	
	commissioning tests as required.	
11.2.3	The installation and commissioning of the system will be performed at the	YES
	Facility by the supplier.	
11.2.4	The commissioning can only Health Science.	YES
11.2.5	All equipment should be properly installed, adjusted, leveled, tagged, and connected with	YES
	utilities.	
11.2.6	Point to point checks on wiring and pneumatic should be performed.	YES
11.2.7	All instruments should be properly calibrated.	YES
11.2.8	A equipment ( instrument) used for qualification must be listed and approved by	YES
11.2.9	The calibration equipment must have all the necessary documents to demonstrate their	YES
	maintenance & use.	
11.2.10	All this equipment must be calibrated periodically and evidenced by certificate.	YES
11.2.11	Verification that the interior surfaces of equipment are free of practices and dirt and all	YES
	points of product contact meet the specified material requirements.	
11.2.12	All the clearances and tolerances specified in the drawing or recommended by component	YES
	manufacturers are correct.	
11.2.13	On site verification that valves and other equipment with moving parts are in their normal	YES
	position if in a power down condition and move in the correct direction with the correct	
	speed and precision.	
11.2.14	Verification that all the Input and Output points are connected and labeled according to the	YES
	documentation and that all the along the input values have been scaled in accordance with	
	the system specification and process requirements. That all equipment components requiring	
	configuration	
11.2.15	The commissioning should demonstrate that the system supplied by the supplier has been	YES
	properly installed and that the functions are in accordance with User	
	Requirements specifications, Vendors System specifications Manuals and other	
	Documentation.	



PRODUCTION DEPARTMENT

## USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 10 of 11

### **11.3 Site Acceptance Test (SAT)**

Sr. No.	Specification	Requirements
11.3.1	This test will be carried out once the commissioning will be completed. The scope will be to verify the performance and the functionality of the system integrated with the other factory systems.	YES
11.3.2	The test will be carried out to verify the system response with the expected productivity of the system.	YES
11.3.3	Details on the test realization will be defined during the project Phase. The supplier is asked to specify the proposed duration for SAT and the standard procedure proposed.	YES
11.3.4	During SAT the required functionality, performances and system reliability are met.	YES
11.3.5	The Functionality described in the User Requirements Specification and in the System Specifications are verified and met.	YES
113.6	All the documentation agreed has been delivered.	YES

## 12.0 QUALIFICATION / VALIDATION

Sr. No.	Specification	Requirements
12.1	The maintenance Qualification is responsibility of the customer. However, the supplier is	YES
	responsible for delivering the basic documents for maintenance qualification.	
12.2	This includes all side costs such as : calibration measuring equipment and instruments:	YES
	manpower (IQ and OQ will take place completely on)	
12.3	Time Schedule for IQ/OQ execution will be developed by With the supplier.	YES
12.4	Suppliers personnel used for IQ/OQ must be well trained and experienced. This should be	YES
	documented.	
12.5	The onsite test run performed by the supplier might become part of the IQ.	YES
12.6	Main IQ/OQ steps such as calibration must be performed and documented in accordance to	YES
	a SOP approved by	
12.7	All equipment used for qualification must be listed and approved by The	YES
	calibration equipment should be well documented.	
12.8	The last Recalibration of all this equipment should be less than 06 month old. Proofed by	YES
	Certificate.	
12.9	OQ can only start after IQ approved by	YES
12.10	IQ will be carried out by During Installation phase. IQ will include the tests	YES
	performed by the supplier.	
12.11	Part of the OQ will be carried out by 0000000000000. During commissioning and SAT	YES
	phase. OQ will include the tests performed by the supplier.	
12.12	After installation of the equipment at customers site. Complementary IQ & OQ tests will be	YES
	performed by the Customer and may be supervised by a member of Technical staff.	
12.13	Qualification documents	DQ, IQ, OQ ,MO
		and Test Certificat



PRODUCTION DEPARTMENT

## USER REQUIREMENT SPECIFICATION

NAME OF ITEM: ROPP CAPPING MACHINE	PROTOCOL No
FUNCTIONAL AREA: PRODUCTION	Page No.: 11 of 11

### 13.0 GAURANTEE/WARRANTEE

Sr. No.	Specification	Requirements
14.1	The System must be guaranteed including all the sub- system and components for a period	YES
	of 12 months from the date of the system acceptance for a 03- shift operation.	
14.2	The servicing companies involved for the Sub- systems maintenance must be declared and	YES
	the maintenance group organization described. Furthermore, the supplier will be directly	
	responsible of the system assistance and the required operation will be co- ordinate by him.	
14.3	In case of failures, the intervention will be guaranteed by the supplier within a maximum	YES
	time limit. The supplier is asked to specify the maximum time limit.	
14.4	The supplier is asked to propose as option maintenance and assistance contract after the	YES
	guarantee expiration.	