

DUADMA DENTIC

	PHARMA				
	QUALITY ASSURAM	CE DEPARTMENT			
	STANDARD OPERA	ATING PROCEDURE			
Departi	ment: Quality Assurance	SOP No.:			
Title: H	old Time Study of Products	Effective Date:			
Superse	persedes: Nil Review Date:				
Issue Da	ate:	Page No.:			
1.0	PURPOSE				
	To define a procedure for establishing the simul	ated hold time period for products at different stages o			
	manufacturing.				
2.0	SCOPE				
2.1	This procedure applies to all products manufacture	d			
3.0	REFERENCE(S) & ATTACHMENTS				
3.1	References				
3.1.1	SOP: "Protocol Numbering and Issuance System"				
3.2	Attachments				
3.2.1	Attachment- I : Product hold time study protoc	col and report			
3.2.2	Attachment-II : Hold time sampling Register				
3.2.3	Attachment-III : Hold time duration of Products	;			
4.0	DEFINITION & ABBREVIATION(S)				
4.1	Definitions				
4.1.1	Nil				
4.2	Abbreviations				
4.2.1	MLT : Microbial limit test				
4.2.2	DT : Disintegration test	DT : Disintegration test			
4.2.3	LOD : Loss on drying				
4.2.4	Approx.: Approximately				
4.2.5	QA: Quality Assurance				
4.2.6	SOP: Standard operating procedure				

Doc. No.: Document Number

HDPE: High density polyethylene

A.R. No.: Analytical reference Number

Sr. No.: Serial Number

QC: Quality Control SS: Stainless steel

g: gram

4.2.7

4.2.8 4.2.9

4.2.10 4.2.11

4.2.12

4.2.13



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE					
Department: Quality Assurance SOP No.:					
Title: Hold Time Study of Products	Effective Date:				
Supersedes: Nil	Review Date:				
Issue Date:	Page No.:				

- 4.2.14 hrs: Hours
- 4.2.15 MFG.: Manufacturing
- 4.2.16 EXP.: Expiry
- 4.2.17 IPQA: In-process quality assurance
- 4.2.18 OOS: Out of Specification
- 4.2.19 API: Active pharmaceutical ingredient

5.0 RESPONSIBILITY:

5.1 QA Department Person:

- 5.1.1 To Prepare, execute and review Hold Time Study Protocol and Report.
- 5.1.2 Sampling of samples as per approved Hold time study protocol.
- 5.1.3 To monitor the simulated storage conditions of product.
- 5.1.4 To be a part of study team.

5.2 Production/ Engineering Department:

- 5.2.1 To provide the necessary requirements for the execution of study.
- 5.2.2 To be a part of study team.

5.3 Quality Control Department:

- 5.3.1 Testing the hold time study samples as per the protocol.
- 5.3.2 To provide the analytical test report to Quality Assurance.
- 5.3.3 To be a part of study team.

5.4 Quality Assurance Head:

- 5.4.1 To ensure implementation of the defined procedure.
- 5.4.2 To approve the product hold time study outcome.

5.5 Plant Head:

5.5.1 To ensure implementation of the defined procedure.

6.0 Distribution:

- I. Quality Assurance
- II. Quality Control
- III. Production



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE				
Department: Quality Assurance SOP No.:				
Title: Hold Time Study of Products	Effective Date:			
Supersedes: Nil	Review Date:			
Issue Date:	Page No.:			

7.0 PROCEDURE:

- 7.1 Simulated hold time studies shall be conducted on first three batches of all the products.
- 7.2 Quality Assurance (QA) person shall prepare the protocol and blank report for performing hold time studies.
- 7.2.1 Each protocol shall have the following information:
 - Hold time study procedure
 - Selection of hold samples
 - Storage conditions
 - Sample size/Quantity
 - Frequency of analysis
 - Test parameters to be evaluated
 - Acceptance criteria
- 7.3 QA shall sample the required samples and submit the sample to Quality Control (QC) for analysis.
- 7.4 QC person shall analyze the samples and submit the results to QA.
- 7.5 QA person shall compile the results and review the results.
- 7.6 Based on the results, QA shall establish the hold time for each product.

7.7 Selection of batches for Hold Time studies

- 7.7.1 Three consecutive batches of a new product shall be placed for hold time study.
- 7.7.2 Hold time study can also be initiated on single batch in case of major change in Formula, Process, API source and environmental conditions of the area.

7.8 Storage of Hold Time samples

- 7.8.1 Dispensed raw material shall be stored under simulated conditions in double-layered poly bags closed tightly with nylon string
- 7.8.2 Lubricated granules shall be stored under simulated conditions in double-layered poly bags closed tightly with nylon string and kept in SS316 container with lid.
- 7.8.3 Core and coated tablets shall be stored under simulated conditions in double-layered poly bags closed tightly with nylon string and kept in SS316 container with lid.
- 7.8.4 Filled capsules shall be stored under simulated conditions in double-layered poly bags closed tightly with nylon string and kept in SS316 container with lid.
- 7.8.5 Binder solution and coating solution shall be stored in glass container with lid.

7.9 Sampling procedure for hold time study:



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE				
Department: Quality Assurance	SOP No.:			
Title: Hold Time Study of Products	Effective Date:			
Supersedes: Nil	Review Date:			
Issue Date:	Page No.:			

- 7.9.1 Use clean accessories (spatula/spoon/sampling rod) during sampling of lubricated blend.
- 7.9.2 Wear hand gloves while sampling
- 7.9.3 Sampling at different interval of hold time shall be done in the storage area and at the time of sampling it shall be ensured that all the other containers in the storage area are in closed condition except the one from which the sample is to be withdrawn.

NOTE: For sampling of microbiological test sample:

- Use Clean accessories (spatula/spoon/sampling rod) during sampling.
- Wear sterile hand gloves during sampling.

7.10 Sample Size for Hold Time studies:

7.10.1	Dispensed Raw	Material/I	Lubricated	l gra	nules:	Approx	g	for dispens	ed raw m	ateri	al ar	nd approx.
	g for	lubricated	granules	(or	as pe	r requirement	for	a specific	product	as	per	approved
	specifications).											

7.10.2 **Core tablets, Coated tablets and Filled capsules:** Approximately ______ numbers (or as per requirement for a specific product as per approved specifications).

7.11 Frequency of Analysis:

7.11.1 **Dispensed Raw Material:**

The raw material used in the manufacturing of the Hold Time Study batch shall be sampled, analyzed and approved before use in the production as per their respective approved specifications. Details of the raw material shall be recorded in the report as shown below in the table.

S.No.	Item Name	A.R No.	Item Code	Qty. taken for Hold time Study

NOTE:

1. Raw material shall be selected based on its nature and scientific rationale.

	Sampling Plan for Dispensed Raw Material Hold Time Study									
	Storage Time Test Parameters Quantity of Sample Acceptance Criteria									
S.No.										
1.	Initial (0)	a) Appearance b) Water Content /LOD (wherever applicable) c) Assay (wherever applicable) d) MLT	As per requirement	As per specification						



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE					
Department: Quality Assurance SOP No.:					
Title: Hold Time Study of Products	Effective Date:				
Supersedes: Nil	Review Date:				
Issue Date:	Page No.:				

	Sampling Plan for Dispensed Raw Material Hold Time Study								
S.No.	Storage Time	Test Parameters	Quantity of Sample	Acceptance Criteria					
2.	7 th Day	a) Appearance b) Water Content /LOD (wherever applicable) c) Assay (wherever applicable) d) MLT							
3.	14 th Day	a) Appearance b) Water Content /LOD (wherever applicable) c) Assay (wherever applicable) d) MLT							

7.11.1 **Lubricated Granules:**

Sampling Plan for Lubricated Granules Hold Time Study							
S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria		
1.	*Initial (0)	a) Appearance b) LOD c) Water Content (if applicable) d) Bulk density e) Tapped Density f) Assay g) Related Substance h) particle size distribution i) MLT	Composite sample from Blender	As per product requirement	As per specification		
2	5 th day	 a) Appearance b) LOD c) Water Content (if applicable) d) Bulk density e) Tapped Density f) Assay g) MLT 	Composite sample from Blender	As per product requirement	As per specification		
3	10 th day	 a) Appearance b) LOD c) Water Content (if applicable) d) Bulk density e) Tapped Density f) Assay g) MLT 	Composite sample from Blender	As per product requirement	As per specification		
4	21 th day	a) Appearanceb) LODc) Water Content (if applicable)d) Bulk densitye) Tapped Density	Composite sample from Blender	As per product requirement	As per specification		



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE						
Department: Quality Assurance	SOP No.:					
Title: Hold Time Study of Products	Effective Date:					
Supersedes: Nil	Review Date:					
Issue Date:	Page No.:					
f) Assay g) Related Substance h) particle size distribution i) MLT						

7.11.2 **Binder Solution for granulation:**

Sampling Plan for Binder Solution Hold Time Study					
S.No. Storage Time		Test Parameters	Quantity of Sample	Acceptance Criteria	
1	*Initial (0)	a) Physical appearanceb) Viscosity (wherever applicable)c) Bio-burden	As per product requirement	As per specification	
2	2 hrs	a) Physical appearanceb) Viscosity (wherever applicable)	As per product requirement	As per specification	
3	4 hrs	a) Physical appearanceb) Viscosity (wherever applicable)	As per product requirement	As per specification	
4	6 hrs	a) Physical appearanceb) Viscosity (wherever applicable)	As per product requirement	As per specification	
5	8 hrs	 a) Physical appearance b) Viscosity (wherever applicable) c) Bioburden (for Starch binder only) 	As per product requirement	As per specification	
6	12 hrs	a) Physical appearanceb) Viscosity (wherever applicable)	As per product requirement	As per specification	
7	24 hrs	a) Physical appearanceb) Viscosity (wherever applicable)c) Bioburden	As per product requirement	As per specification	



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

7.11.3 **Uncoated Tablets:**

S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
1	*Initial (0)	a) Description b) Hardness c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution (wherever applicable) h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Content Uniformity (wherever applicable) l) Bioburden	Composite sample	As per product requirement	As per specification
2	10 th day	a) Description b) Hardness c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution (wherever applicable) h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Bioburden	Composite sample	As per product requirement	As per specification
3	20 th day	a) Description b) Hardness c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Bioburden	Composite sample	As per product requirement	As per specification
4	40 th day	a) Description b) Hardness c) Thickness d) Friability	Composite sample	As per product requirement	As per specification



STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

	Sampling Plan for Uncoated Tablets Hold Time Study				
S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
		e) Disintegration Time			
		f) Water Content/ LOD			
		g) Dissolution (wherever			
		applicable)			
		h) Impurities/ Related			
		Substances			
		i) Assay			
		j) Dispersion Time (wherever			
		applicable)			
		k) Content Uniformity			
		(wherever applicable)			
		l) Bioburden			
5	60 th day	a) Description	Composite sample	As per product	As per specification
		b) Hardness		requirement	
		c) Thickness			
		d) Friability			
		e) Disintegration Time			
		f) Water Content/ LOD			
		g) Dissolution (wherever			
		applicable)			
		h) Impurities/ Related			
		Substances			
		i) Assay			
		j) Dispersion Time (wherever			
		applicable)			
		k) Content Uniformity			
		(wherever applicable)			
		1) Bioburden			



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

7.11.4 **Coated Tablets:**

C N	C4 TD*	Sampling Plan for Co		-	
S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
1	*Initial (0)	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
2	10 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
3	20 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
4	40 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
5	60 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) e) Assay			



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

Sampling Plan for Coated Tablets Hold Time Study					
S.No.	Storage Time	Test Parameters	Location	Quantity of	Acceptance
				Sample	Criteria
		f) Impurities/ Related			
		Substances (wherever			
		applicable)			
		g) Bioburden			

7.11.5 **Coating Solution:**

	Sampling Plan for Coating Solution Hold Time Study				
S.No.	Storage Time	Test Parameters	Quantity of Sample	Acceptance Criteria	
1	*Initial (0)	a) Physical appearanceb) pHc) Redispersibilityd) Bioburden	As per product requirement	As per specification	
2	6 hrs	 a) Physical appearance b) pH c) Redispersibility d) Bioburden 	As per product requirement	As per specification	
3	12 hrs	 a) Physical appearance b) pH c) Redispersibility d) Bioburden 	As per product requirement	As per specification	
4	18 hrs	 a) Physical appearance b) pH c) Redispersibility d) Bioburden 	As per product requirement	As per specification	
5	24 hrs	 a) Physical appearance b) pH c) Redispersibility d) Bioburden 	As per product requirement	As per specification	
6	36 hrs	 a) Physical appearance b) pH c) Redispersibility d) Bioburden 	As per product requirement	As per specification	
7	48 hrs	 a) Physical appearance b) pH c) Redispersibility d) Bioburden 	As per product requirement	As per specification	

7.11.6 Filled Hard Gelatin Capsules:



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

	Sampling Plan for Coated Tablets Hold Time Study				
S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
1	*Initial (0)	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification
2	5 th day	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification
3	10 th day	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification
4	14 th day	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification

NOTE:

1. * Initial (0) sample for hold time study shall not be sent to QC. Analysis of Initial (0) day shall be done on the in-process and bulk finish sample.



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance	SOP No.:		
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

- 2. All the physical tests in case of uncoated tablet/ coated tablet/ filled capsule such as thickness, hardness, disintegration time, friability as applicable shall be tested by IPQA person and the result shall be recorded in the respective report.
- 7.12 Samples withdrawn shall preferably be analyzed on the same day. If there is delay in the analysis, then samples shall be maintained at the cold temperature i.e. 4 to 8 °C till the analysis is performed.

7.13 Acceptance Criteria:

- 7.13.1 Acceptance criteria for each product shall be as per the specification for individual product.
- 7.14 Report shall be prepared based on the results.
- 7.15 If the validated Hold time storage period of any product crosses before filling or packaging then re-sampling of the product shall be done and retested. Based on the Retesting analytical results, QA Head shall decide for further action plan. Required quantity of filled or packed Sample to be kept for stability study from the same batch.

7.16 Hold time study Protocol Numbering System:

Numbering of Hold time study protocol and report shall be done as per SOP titled "Protocol Numbering and Issuance System"

8.0 REVISION HISTORY

Version No.	00	Effective Date	
Details of revision: No	ew SOP Prepared		



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance SOP No.:		
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

Attachment-I

	HOLD TIME STUDY OF PRODUCT (PROTOCOL CUM REPORT)	
Product Name		
Product Code	Protocol No.	
Batch Size	Revision No.	
Shelf Life	Page No.	x of y

HOLD TIME STUDY OF PRODUCT

PRODUCT NAME:

PRODUCT CODE:

Label Claim:



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance SOP No.:		
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

CONTENTS

S.No.	Title of sections	Page No.

1.0 Pre-approval Protocol:

This document has been developed and the individuals listed below have reviewed the document and agree with its content and with their signature grant approval for its execution.

Functional area	Name	Designation	Signature	Date
	PI	REPARED BY		
Validation QA				
	RI	EVIEWED BY		
Production Head				
Quality Control Head				
Engineering Head				
Quality Assurance				
APPROVED BY				
QA Head				
Plant Head				



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance SOP No.:		
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date: Page No.:		

2.0 OBJECTIVE:

Objective of hold time study is to establish the hold time study of the respective product with documented evidence.

3.0 SCOPE:

This protocol is applicable for hold time study of Tablets, Capsules, Binder solution and Coating solution manufactured in

4.0 RESPONSIBILITY:

QUALITY ASSURANCE:

- Preparation, Execution & reviewing the protocol.
- Collection of the samples as specified in protocol.

QUALITY CONTROL:

- Reviewing of hold time study protocol.
- Analyzing the hold time study samples as per this protocol.

PRODUCTION:

- Reviewing of protocol.
- To intimate the collection of hold time study sample.

ENGINEERING:

- Reviewing of protocol.
- Maintaining the required environmental condition.



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance SOP No.:		
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

5.0 VALIDATION TEAM TRAINING DETAILS:

Availability of training status and training record of all personnel involved in the validation/assessment exercise should be recorded.

DEPARTMENT	NAME	TRAINING STATUS	SIGNATURE
Quality Assurance			
Quality Control			
Production			
Engineering			

6.0 VERIFICATION OF INSTRUMENTS FOR CALIBRATION:

S.No.	Instrument Name	Instrument Code	Calibration done on	Calibration due on	Checked by Sign/Date



	<u> </u>				
		STANDARD OPERATING P	ROCEDURI	Ξ	
Depart	Department: Quality Assurance SO				
Title: I	Hold Time Study of Produc	ts		Effective D	ate:
Supers	sedes: Nil			Review Da	te:
Issue D	Date:			Page No.:	
7.0	REFERENCE OF STA	NDARD OPERATING PROCEDU	RE/ DOCU	MENTS:	
S.No.	SOP/	Document Name	SOP/ I	Ooc. No.	Checked by/Date
Refere	ence QC Specification: Test	Analytical Method Validation P		(Checked by
		/ QC specification numb	er		



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance SOP No.:		
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

9.0 HOLD TIME STUDY PROCEDURE:

9.1 Selection of batches:

First three process validation batches of a new product shall be placed for hold time study.

9.2 Environmental Conditions:

Environmental conditions such as Temperature and Relative Humidity shall be monitored and recorded as per SOP: "Recording of Temperature and Relative humidity".

9.3 Dispensed Raw Material:

Dispensed raw material shall be stored under simulated conditions in double-layered poly bags closed tightly with nylon string.

9.4 Lubricated granules:

Granules shall be stored under simulated conditions in double-layered poly bags closed tightly with nylon string and kept in SS316/ HDPE container with lid.

9.5 Core and coated tablets:

For core and coated tablets hold time study sampled tablets shall be stored under simulated conditions in double-layered poly bags closed tightly and kept in SS316/ HDPE container with lid.

9.6 Filled capsules:

For Filled capsules hold time study sampled capsules shall be stored under simulated conditions in double-layered poly bags closed tightly and kept in SS316/ HDPE container with lid.

9.7 Dispensed Raw Material Details:

The raw material used in the manufacturing of the Hold Time Study batch shall be tested, analyzed and approved before use in the production as per their respective approved specifications. Details of the raw material shall be recorded in the report as shown below in the table.



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance SOP No.:			
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

Batch No.:	
Daten 110	

S.No.	Item Code	Item Name	A.R No.	Name of Vendor	Qty. taken for Hold time Study

NOTE: Raw material shall be selected based on its nature and scientific rationale.



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE				
Department: Quality Assurance SOP No.:				
Title: Hold Time Study of Products	Effective Date:			
Supersedes: Nil	Review Date:			
Issue Date: Page No.:				

Batch No.:	
------------	--

S.No.	Item Code	Item Name	A.R No.	Name of Vendor	Qty. taken for Hold time Study

NOTE: Raw material shall be selected based on its nature and scientific rationale.

Batch No.: _____

S.No.	Item Code	Item Name	A.R No.	Name of Vendor	Qty. taken for Hold time Study

NOTE: Raw material shall be selected based on its nature and scientific rationale.



STANDARD OPERATING PROCEDURE				
Department: Quality Assurance SOP No.:				
Title: Hold Time Study of Products	Effective Date:			
Supersedes: Nil	Review Date:			
Issue Date: Page No.:				

10.0	SAMPLING SIZE, PLAN AND FREQUENCY:
	Hold time study samples of granules, tablets and Capsules shall be collected as composite as per below
	mentioned quantity:
10.1	Dispensed Raw Material/ Lubricated granules: Approx g for dispensed raw material and
	approx g for lubricated granules (or as per requirement for a specific product as per approved
	specifications).
10.2	Core tablets, Coated tablets and Filled capsules: Approximately numbers (or as per requirement
	for a specific product as per approved specifications).

Sampling Plan for Dispensed Raw Material Hold Time Study					
S.No.	Storage Time	Test Parameters	Quantity of Sample	Acceptance Criteria	
1	Initial (0)	a) Appearanceb) Water Content /LOD (wherever applicable)c) Assay (wherever applicable)d) MLT	As per requirement	As per specification	
2	7 th Day	a) Appearance b) Water Content /LOD (wherever applicable) c) Assay (wherever applicable) d) MLT	As per requirement	As per specification	
3	14 th Day	a) Appearance b) Water Content /LOD (wherever applicable) c) Assay (wherever applicable) d) MLT	As per requirement	As per specification	



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance SOP No.:			
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date: Page No.:			

10.3 Lubricated granules:

	Sampling Plan for Lubricated Granules Hold Time Study					
S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria	
1	*Initial (0)	a) Appearance b) LOD c) Water Content (wherever applicable) d) Bulk density e) Tapped Density f) Assay g) Related Substance h) particle size distribution i) MLT	Composite sample from Blender	As per product requirement	As per specification	
2	5 th day	a) Appearance b) LOD c) Water Content (wherever applicable) d) Bulk density e) Tapped Density f) Assay g) MLT	Composite sample from Blender	As per product requirement	As per specification	
3	10 th day	a) Appearance b) LOD c) Water Content (wherever applicable) d) Bulk density e) Tapped Density f) Assay g) MLT	Composite sample from Blender	As per product requirement	As per specification	
4	21 th day	a) Appearance b) LOD c) Water Content ((wherever applicable) d) Bulk density e) Tapped Density f) Assay g) Related Substance h) particle size distribution i) MLT	Composite sample from Blender	As per product requirement	As per specification	



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance SOP No.:			
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

10.4 Binder Solution for granulation:

	Sampling Plan for Binder Solution Hold Time Study					
S.No.	S.No. Storage Time Test Parameters Quantity of		Quantity of Sample	Acceptance Criteria		
1	Initial (0)	d) Physical appearancee) Viscosity (wherever applicable)f) Bioburden	As per product requirement	As per specification		
2	2 hrs	c) Physical appearanced) Viscosity (wherever applicable)	As per product requirement	As per specification		
3	4 hrs	c) Physical appearanced) Viscosity (wherever applicable)	As per product requirement	As per specification		
4	6 hrs	c) Physical appearanced) Viscosity (wherever applicable)	As per product requirement	As per specification		
5	8 hrs	 d) Physical appearance e) Viscosity (wherever applicable) f) Bioburden (for Starch binder only) 	As per product requirement	As per specification		
6	12 hrs	c) Physical appearanced) Viscosity (wherever applicable)	As per product requirement	As per specification		
7	24 hrs	d) Physical appearancee) Viscosity (wherever applicable)f) Bioburden	As per product requirement	As per specification		



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance	SOP No.:	
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

10.5 Uncoated tablets:

S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
1	*Initial (0)	a) Description b) Hardness c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution (wherever applicable) h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Content Uniformity (wherever applicable) l) Bioburden	Composite sample	As per product requirement	As per specification
2	10 th day	a) Description b) Hardness c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution (wherever applicable) h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Bioburden	Composite sample	As per product requirement	As per specification
3	20 th day	a) Description b) Hardness c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Bioburden	Composite sample	As per product requirement	As per specification
4	40 th day	a) Description b) Hardness c) Thickness	Composite sample	As per product requirement	As per specification



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance	SOP No.:	
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date: Page No.:		

Sampling Plan for Uncoated Tablets Hold Time Study Storage Time Quantity of S.No. **Test Parameters** Location Acceptance Sample Criteria d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution (wherever applicable) h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Content Uniformity (wherever applicable) 1) Bioburden 60th day) Description Composite sample 5 As per product As per specification b) Hardness requirement c) Thickness d) Friability e) Disintegration Time f) Water Content/ LOD g) Dissolution (wherever applicable) h) Impurities/ Related Substances i) Assay j) Dispersion Time (wherever applicable) k) Content Uniformity (wherever applicable)

1) Bioburden



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE		
Department: Quality Assurance	SOP No.:	
Title: Hold Time Study of Products	Effective Date:	
Supersedes: Nil	Review Date:	
Issue Date:	Page No.:	

10.6 Coated tablets:

S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
1	*Initial (0)	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
2	10 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
3	20 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
4	40 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) f) Impurities/ Related Substances (wherever applicable) g) Bioburden	Composite sample	As per product requirement	As per specification
5	60 th day	a) Description b) Disintegration Time (wherever applicable) c) Water Content/ LOD d) Dissolution (wherever applicable) e) Assay	Composite sample	As per product requirement	As per specification



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance SOP No.:			
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

	Sampling Plan for Coated Tablets Hold Time Study				
S.No. Storage Time Test Parameters Location Quantity of Acceptance					
				Sample	Criteria
		f) Impurities/ Related			
		Substances (wherever			
		applicable)			
		g) Bioburden			

10.7 Coating Solution:

	Sampling Plan for Coating Solution Hold Time Study					
S.No.	Storage Time	Test Parameters	Quantity of Sample	Acceptance Criteria		
1	Initial (0)	e) Physical appearancef) pHg) Redispersibilityh) Bioburden	As per product requirement	As per specification		
2	6 hrs	e) Physical appearancef) pHg) Redispersibilityh) Bioburden)	As per product requirement	As per specification		
3	12 hrs	e) Physical appearancef) pHg) Redispersibilityh) Bioburden	As per product requirement	As per specification		
4	18 hrs	e) Physical appearancef) pHg) Redispersibilityh) Bioburden	As per product requirement	As per specification		
5	24 hrs	e) Physical appearance f) pH g) Redispersibility h) Bioburden	As per product requirement	As per specification		
6	36 hrs	e) Physical appearancef) pHg) Redispersibilityh) Bioburden	As per product requirement	As per specification		
7	48 hrs	e) Physical appearancef) pHg) Redispersibilityh) Bioburden	As per product requirement	As per specification		



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE			
Department: Quality Assurance SOP No.:			
Title: Hold Time Study of Products	Effective Date:		
Supersedes: Nil	Review Date:		
Issue Date:	Page No.:		

10.8 Filled Hard Gelatin Capsules:

	Sampling Plan for Coated Tablets Hold Time Study				
S.No.	Storage Time	Test Parameters	Location	Quantity of Sample	Acceptance Criteria
1	*Initial (0)	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification
2	5 th day	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification
3	10 th day	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification
4	14 th day	a) Description b) Net filled content per capsule c) Disintegration Time d) Water Content/ LOD e) Dissolution f) Assay g) Related Substances (wherever applicable) h) Bioburden	Composite sample	As per product requirement	As per specification

Note: 1. * Sample not to be sent to QC. All the required tests shall be carried out on the in-process and bulk finish sample.



			STA	NDARD OP	ERAT	TING PROCE	DUR	E	
Depart	Department: Quality Assurance SOP No.:								
Title: H	Iold Time Study of	Products						Effective Date	2:
Superse	Supersedes: Nil Review Date:								
Issue D	Issue Date: Page No.:								
2. All the physical tests in case of uncoated tablet/coated tablet/filled capsule such as thickness, hardness, disintegration time, friability as applicable shall be tested by IPQA person and the result shall be recorded in the respective report.									
11.0	RESULTS/OB	SERVA	ΓΙΟΝS:						
A)	Product Details	s under l	Hold Tir	ne Study:					
S.No.	Product Nar	ne	Bat	ch No.	В	Batch Size		MFG. Date	EXP. Date
1									
2									
2									
3									
B) Batch	IPQA (Physical T	Γest) Res	sults:						
Test Pa	arameters								
Time (Day) Interval [
	0								
T									
Limit									
Batch	No.:								
Test Pa	arameters >								



STANDARD OPERATING PROCEDURE								
Department: Quality Ass		NDAKD UPEKAT	ING PKUCEDUK	SOP No.:				
	Title: Hold Time Study of Products							
Supersedes: Nil	Effective Date: Review Date:							
Issue Date:								
issue Dute.				Page No.:				
Time (Day) Interval								
0								
Limit ==>								
Batch No.:								
Test Parameters								
Time (Day) Interval								
0								
Limit ==>								
C) QC RESULT (Chemical and Microbiological): Batch No.:								
Test Parameters								
Time (Day) Interval								
0								
		<u> </u>						



STANDARD OPERATING PROCEDURE								
Department: Quality Assurance	e		SOP No.:					
Title: Hold Time Study of Produ	Fitle: Hold Time Study of Products Effective Date:							
Supersedes: Nil			Review Date:					
Issue Date:			Page No.:					
Limit ==>								
Batch No.:	-							
Test Parameters								
Time (Day) Interval								
0								
Limit ==>								
Batch No.:	-							
Test Parameters								
Time (Day) Interval								
0								
Limit ==>								
,								



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE Department: Quality Assurance SOP No.: Title: Hold Time Study of Products Supersedes: Nil Review Date: Issue Date: Page No.:	DURE
Department: Quality Assurance	SOP No.:
Title: Hold Time Study of Products	Effective Date:
Supersedes: Nil	Review Date:
Issue Date:	Page No.:

12.0 Acceptance criteria:

Acceptance criteria for each product shall be as per the respective Quality Control specification for individual product.

13.0 Details of Deviation/Non Compliance/OOS:

Details of Out of Specifications (OOS)/Deviations/Non conformances if any should be recorded below.

14.0 Frequency/Reason of study:

Frequency/Reason	Tick mark the applicable option	No. of Batches to be kept under study	Justification for No. of batches selected if less than 3 batches.
New product (New/ Transferred)			
Change in formulation			
Change in batch size (10 folds or more than 10 folds)			
Change in process / process parameter			
Change in API Manufacturer			
Change in route of synthesis/ manufacturing process of API			
Periodic verification (every 3 years 1 batch verification)			
Change in Storage condition			
Others (if any):			



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE						
Department: Quality Assurance SOP No.:						
Title: Hold Time Study of Products	Effective Date:					
Supersedes: Nil	Review Date:					
Issue Date:	Page No.:					

15.0 Risk management study (if any):

Details of the reference document of risk management should be mentioned below.

16.0 Summary of the study activity:

Record the summary of the study with special emphasis on physical parameters, chemical parameters and Microbiological parameters evaluation of the data obtained.

17.0 Recommendation:

Record the recommendations or suggestions based on the interpretation of the results and reference documents below.

18.0 Attachments:

Mention the list of attached documents to the study protocol/report below.

19.0 Abbreviations:

Mention the list of abbreviations used in the study protocol/report below.

20.0 Reference Documents:

Description	Document References No.	Verified By	Date
Batch Manufacturing Record			
SOP of Handling of Hold Time Samples			
SOP of Incident/ Deviation Reporting and Investigation			
SOP of Risk Management Study			
SOP of OOS			
QC Specification			



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE						
Department: Quality Assurance SOP No.:						
Title: Hold Time Study of Products	Effective Date:					
Supersedes: Nil	Review Date:					
Issue Date:	Page No.:					

21.0 Review and Post approval:

Functional area	Name	Designation	Signature	Date						
	PERFORMED BY									
Validation QA										
Quality Control										
Production										
Engineering										
	APPI	ROVED BY								
QA Head										
Plant Head										

Format No	
-----------	--



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE	
Department: Quality Assurance	SOP No.:
Title: Hold Time Study of Products	Effective Date:
Supersedes: Nil	Review Date:
Issue Date:	Page No.:

Attachment-II

HOLD TIME SAMPLING REGISTER

S. No.	Date	Product Name	Batch No.	Mfg. Date	Exp. Date	Stage	Quantity sampled	Sampled By QA (Sign/ Date)	Received By QC (Sign/ Date)	Remarks



QUALITY ASSURANCE DEPARTMENT

STANDARD OPERATING PROCEDURE						
Department: Quality Assurance	SOP No.:					
Title: Hold Time Study of Products	Effective Date:					
Supersedes: Nil	Review Date:					
Issue Date:	Page No.:					

Attachment-III

HOLD TIME DURATION OF PRODUCTS

	Product Code	Strength	Hold Time Duration							
Product Name			Shelf Life	Dispensed Material (In Days)	Binder Solution (In Hrs.)	Lubricated Granules (In Days)	Uncoated Tablets (In Days)	Coated Tablets (In Days)	Coating Solution (In Hrs.)	Filled Hard Gelatin Capsule (In Days)